

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark **OPTIONAL MODEL/CAPACITY** **MODEL** C25L

EACH \$ 25,891.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>5,000 lbs. /Basic capicity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>8,838 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>700x12 Drive & 600x9 Steer AIR</u>
Tire Type:	<u>Air Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two steer</u>
Max. Fork Height, Full Capacity: (in)	<u>5,000 lbs.Base, 4,800 lbs.cap. @ 189" W/O attache</u>
Length to Fork Face: (in)	<u>142.7"</u>
Width: (in.)	<u>48.2"</u>
Wheelbase (in)	<u>63.8"</u>
Turning Radius: (in)	<u>90.6" outside</u>
Gradeability @ 1mph loaded (%)	<u>36.6%</u>
Service Brake Type	<u>Drum & Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>70.4</u>
Transmission Type	<u>Powershifter</u>
Fuel Type	<u>LPG</u>
Fuel Capacity	<u>33 lbs. tank is standard</u>
Draw Bar Pull	<u>4,751 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$600.00
Option 2	Extended Warranty: FlexGuard 48: FG48-36/6,000 Hrs.	\$750.00
Option 3	Extended Warranty: FlexGuard 60: FG60-12/48/10,000 Hrs.	\$950.00
Option 4	Side shifter with hosing kit	\$1,587.00
Option 5	Double Aux. Valve and Double Hosing Kit, for two function attachments	\$1,117.00
Option 6	Side shifting fork positioner, (requires DAV & DHK/above	\$1,785.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first.Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature

Mark Deane

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark MODEL C30L

EACH \$ 28,981.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>6,000 lbs. Base capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>9,786 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>815x15 Drive & 650x10 Solid Pneumatic</u>
Tire Type:	<u>Solid Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two steer tires</u>
Max. Fork Height, Full Capacity: (in)	<u>6,000 lbs. Base/ 6,000 lbs.cap. @ 189" W/solid Pneu</u>
Length to Fork Face: (in)	<u>147"</u>
Width: (in.)	<u>48.7"</u>
Wheelbase (in)	<u>66.9"</u>
Turning Radius: (in)	<u>94.7" outside radius</u>
Gradeability @ 1mph loaded (%)	<u>29.1%</u>
Service Brake Type	<u>Drum & Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>61 H.P.</u>
Transmission Type	<u>Powershift</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>14.7 gal.</u>
Draw Bar Pull	<u>4,640 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$600.00
Option 2	Extended Warranty: FlexGuard 48: FG48-36/6,000 Hrs.	\$750.00
Option 3	Extended Warranty: FlexGuard 60: FG60-12/48/10,000 Hrs.	\$950.00
Option 4	Side shifter with hosing kit	\$1,587.00
Option 5	Double Aux. Valve and Double Hosing Kit, for two function attachments	\$1,117.00
Option 6	Side shifting fork positioner, (requires DAV & DHK/above	\$1,785.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark MODEL C35L

EACH \$ 31,147.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>7,000 lbs. cap. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>11,014 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>250x15 Drive & 650x10 Steer</u>
Tire Type:	<u>Solid Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>7,000 lbs. Base/ 7,000 lbs.Cap. @ 182" W/O attachmen</u>
Length to Fork Face: (in)	<u>151.1"</u>
Width: (in.)	<u>51.8"</u>
Wheelbase (in)	<u>66.9"</u>
Turning Radius: (in)	<u>97.6" outside</u>
Gradeability @ 1mph loaded (%)	<u>25.8 %</u>
Service Brake Type	<u>Drum & Shoe</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>61. H.P.</u>
Transmission Type	<u>Powershift</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>14.7 H. P</u>
Draw Bar Pull	<u>4,634 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG12-12/24/5,000 Hrs.	\$600.00
Option 2	Extended Warranty: FlexGuard 48: FG12-12/36/6,000 Hrs.	\$750.00
Option 3	Extended Warranty: FlexGuard 60: FG60-12/48/10,000 Hrs.	\$950.00
Option 4	Side shifter with hosing kit	\$1,587.00
Option 5	Double Aux. Valve and Double Hosing Kit, for two function attachment	\$1,117.00
Option 6	Side shifting fork positioner, (requires DAV & DHK/above	\$1,785.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	\$114.00
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 10	Amber Strobe light	\$173.00
Option 11	Audible Back-up alarm Smart	\$158.00
Option 12	One (1) Rear work light	\$153.00
Option 13	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
Option 14	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires Double Aux. Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark

MODEL C40D

EACH \$ 43,497.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>8,000 lbs. @ 24" load center</u>
Volts	<u>12 System</u>
Service Weight	<u>13,367 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>825x15 Drive & 700x12 Steer</u>
Tire Type:	<u>Solid Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>8,000 lbs. Base/ 8,000 lbs.@177" W/O. attachemnt</u>
Length to Fork Face: (in)	<u>161.9"</u>
Width: (in.)	<u>55.1"</u>
Wheelbase (in)	<u>76.8"</u>
Turning Radius: (in)	<u>111.9" outside</u>
Gradeability @ 1mph loaded (%)	<u>37.4 %</u>
Service Brake Type	<u>Wet Disc Brakes, (Std. Warranty 36Month/10,000 Hrs</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74.3 H.P.</u>
Transmission Type	<u>Two Speed/Automatic Forward-Reverse</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>24.8 Gal</u>
Draw Bar Pull	<u>8,481 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty: FlexGuard 48: FG48-36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty: FlexGuard 60: FG60-48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8"OHL/64.8"FL	\$ 355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$ 450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCD	(- \$430.00)

OPTION	DESCRIPTION	Price
Option 7	Two Rear view mirrors	\$87.00
Option 8	Rear Handle grab handle with horn button	\$68.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$264.00
Option 10	One rear work light	\$ 137.00
Option 11	Amber Strobe light	\$158.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$1,587.00
Option 14	Double Aux. valve & Double hosing kit for a two function attachment	\$1,326.00
Option 15	Side shifting fork positioner.(requires DAV/DHK)	\$2,365.00
Option 16	Dual Drive Tires (AIR)	\$ 978.00
Option 17	Dual Drive Tires (SOLID)	\$ 1,236.00
Option 18	Enclosed All Weather Cab, including Heater, Dome light, Lockable doors, 2-speed blower & fan	\$3,980.00
Option 19	Factory Order ONLY	
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable (See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge, provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.


FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark **MODEL** C45D

EACH \$ 45,565.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>9,000 lbs. cap. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>14,191 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>825x15 Drive & 700x12 Steer</u>
Tire Type:	<u>Solid Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>9,000 lbs.Base/ 8,800 lbs. cap @24" load center177"</u>
Length to Fork Face: (in)	<u>121.8"</u>
Width: (in.)	<u>55.1"</u>
Wheelbase (in)	<u>76.8"</u>
Turning Radius: (in)	<u>113.4" outside</u>
Gradeability @ 1mph loaded (%)	<u>33.9%</u>
Service Brake Type	<u>Wet Disc Brakes, (Std.Warranty 36Months/10,000 Hrs.</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74.3 H.P.</u>
Transmission Type	<u>Two Speed/Automatic Forward-Reverse</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>24.8 Gal.</u>
Draw Bar Pull	<u>8,508 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty: FlexGuard 48: FG48-36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty: FlexGuard 60: FG60-48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8"OHL/64.8"FL	\$ 355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$ 450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCD	(- \$430.00)

OPTION	DESCRIPTION	Price
Option 7	Two Rear view mirrors	\$87.00
Option 8	Rear Handle grab handle with horn button	\$68.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$264.00
Option 10	One rear work light	\$ 137.00
Option 11	Amber Strobe light	\$158.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$1,587.00
Option 14	Double Aux. valve & Double hosing kit for a two function attachment	\$1,326.00
Option 15	Side shifting fork positioner.(requires DAV/DHK)	\$2,365.00
Option 16	Dual Drive Tires (AIR)	\$ 978.00
Option 17	Dual Drive Tires (SOLID)	\$ 1,236.00
Option 18	Enclosed All Weather Cab, including Heater, Dome light, Lockable doors, 2-speed blower & fan	\$3,980.00
Option 19	Factory Order ONLY	
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable (See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge, provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.

FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark MODEL C50SD

EACH \$ 47,979.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>10,000 lbs. Cap. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>15,887 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>825x15 Drive & 700x12 Steer</u>
Tire Type:	<u>Solid Pneumatic</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>10,000 lbs.Cap. Base/10,000 lbs. @ 177"/24" load center</u>
Length to Fork Face: (in)	<u>127.3"</u>
Width: (in.)	<u>55.1"</u>
Wheelbase (in)	<u>82.7"</u>
Turning Radius: (in)	<u>119.4" outside</u>
Gradeability @ 1mph loaded (%)	<u>32.1%</u>
Service Brake Type	<u>Wet Disc, (Std. Warranty 36 Months/10,000 Hrs.)</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74.3 H.P.</u>
Transmission Type	<u>Two Speed/Automatic Forward-Reverse</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>9,101 lbs.</u>
Draw Bar Pull	<u></u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty: FlexGuard 48: FG48-36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty: FlexGuard 60: FG60-48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8"OHL/64.8"FL	\$ 355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$ 450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCD	(- \$430.00)

OPTION	DESCRIPTION	Price
Option 7	Two Rear view mirrors	\$87.00
Option 8	Rear Handle grab handle with horn button	\$68.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$264.00
Option 10	One rear work light	\$ 137.00
Option 11	Amber Strobe light	\$158.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$1,587.00
Option 14	Double Aux. valve & Double hosing kit for a two function attachment	\$1,326.00
Option 15	Side shifting fork positioner.(requires DAV/DHK)	\$2,365.00
Option 16	Dual Drive Tires (AIR)	\$ 978.00
Option 17	Dual Drive Tires (SOLID)	\$ 1,236.00
Option 18	Enclosed All Weather Cab, including Heater, Dome light, Lockable doors, 2-speed blower & fan	\$3,980.00
Option 19	Factory Order ONLY	
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Delivery will be made Variable(See below note) days after receipt of order (ARO)
Delivery will vary due to time order is placed with P.O. Also, depending on which Options maybe be needed. Some models we try to stock for a good delivery.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

First Twelve Months or 2,000 Hours which comes first. Clark dealer will, without charge , provide genuine Clark parts, labor and a service call to replace or repair any Defective materials or Parts.

Starting the Thirteenth month, or 4,000 hours which comes first. Clark dealer will, (EXCEPT FOR SERVICE CALLS), provide new or repaired replacement parts and labor on MAJOR COMPONENTS identified below, A. All electric motors, B. Solid state controls panel components, C. Contactor panels, and D. Drive axle.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Note: All FlexGuards listed the First Twelve months(12) has same coverage as Standard Warranty.

FlexGuard 36. Next 24 Months or 5,000 Hours which every comes first, Parts, Labor ONLY for Major Components.


FlexGuard 48. Next 36 Months or 6,000 Hours which every comes first, Parts, Labor ONLY for Major components.

FlexGuard 60. Next 48 Months or 10,000 Hours which every comes first, Parts, Labor ONLY for Major components.

Company Name

Forklifts of Central Mo., Inc.

Signature



Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota Optional MODEL 8FDU25

EACH \$ 30,286.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>5,000 lbs. / Basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>7930 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>700x12 Drive / 600x9 Steer Air</u>
Tire Type:	<u>Air pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>3950 lbs. @ 189" Without Attachments</u>
Length to Fork Face: (in)	<u>103.9"</u>
Width: (in.)	<u>45.3"</u>
Wheelbase (in)	<u>65"</u>
Turning Radius: (in)	<u>87.5" Outside</u>
Gradeability @ 1mph loaded (%)	<u>34%</u>
Service Brake Type	<u>Hydraulic (foot) activated, Drum and Shoe</u>
Parking Brake Type	<u>Pedal Actuated</u>
Engine HP	<u>55</u>
Transmission Type	<u>Powershift</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>15.9 gal.</u>
Draw Bar Pull	<u>4250 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment/ Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductible

Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight

\$100.00 Deductible , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight

\$100.00 Deductible, Cost per unit \$1,126.00


D. Sixty (60) Months or 10,000 hours, Carriage to counter weight

\$100.00 Deductible, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 3 Way Valve (With 3rd Function Internal Hosing)	\$586	_____
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	_____
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	_____
4. Cascade 40" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,022	_____
5. Fire Extinguisher	\$115	_____
6. LED Headlights	\$311	_____
7. LED Rear Combination Lights	\$290	_____
8. LED Rear Working Light	\$137	_____
9. Orange Seat Belt	\$59	_____
10. Radiator Screen	\$161	_____
11. Rear Assist Grip with Horn Button	\$105	_____
12. Rear Combination Lights	\$153	_____
13. Rear Side Ring Wheels	\$262	_____
14. Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$803	_____
15. Rear View Mirrors (Left & Right Sides)	\$99	_____
16. Solid Pneumatic Tires - Front	\$545	_____
17. Steering Wheel with Knob	\$20	_____
18. Strobe Light - Yellow	\$237	_____
19. TS15-CASCADE INT. SS/FP (FSV)	\$1,675	_____

** Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota MODEL 8FDU30

EACH \$ 32,775.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>6000 lbs. Basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>9360 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>28x9-15 Drive / 6.50x10 steer</u>
Tire Type:	<u>Pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>3950 lbs. @ 189" without attachments</u>
Length to Fork Face: (in)	<u>109.4"</u>
Width: (in.)	<u>48.8"</u>
Wheelbase (in)	<u>66.9</u>
Turning Radius: (in)	<u>92.5"Outside</u>
Gradeability @ 1mph loaded (%)	<u>29%</u>
Service Brake Type	<u>Hydraulic(foot) activated, drums and shoes</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>55</u>
Transmission Type	<u>Powershift</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>15.9 gal.</u>
Draw Bar Pull	<u>4400 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment/Extra Care	See Attachment
Option 2	See Attachment/ Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductible
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight
\$100.00 Deductible , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight
\$100.00 Deductible, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight
\$100.00 Deductible, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 3 Way Valve (With 3rd Function Internal Hosing)	\$586	_____
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	_____
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	_____
4. Cascade 42" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,272	_____
5. Fire Extinguisher	\$124	_____
6. LED Headlights	\$311	_____
7. LED Rear Combination Lights	\$290	_____
8. LED Rear Working Light	\$137	_____
9. Orange Seat Belt	\$59	_____
10. Radiator Screen	\$161	_____
11. Rear Assist Grip with Horn Button	\$105	_____
12. Rear Combination Lights	\$153	_____
13. Rear Side Ring Wheels	\$262	_____
14. Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$847	_____
15. Rear View Mirrors (Left & Right Sides)	\$99	_____
16. Solid Pneumatic Tires - Front	\$589	_____
17. Steering Wheel with Knob	\$20	_____
18. Strobe Light - Yellow	\$237	_____
19. TS15-CASCADE INT. SS/FP (FSV)	\$1,863	_____

** Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota MODEL 8FDU32

EACH \$ 34,115.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>6500 lbs. basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>9590 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>28x9-15 Drive / 6.50 x 10 Steer</u>
Tire Type:	<u>Pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>6500 lbs. @ 187" without attachments</u>
Length to Fork Face: (in)	<u>110.2"</u>
Width: (in.)	<u>48.8"</u>
Wheelbase (in)	<u>66.9"</u>
Turning Radius: (in)	<u>93.3" outside</u>
Gradeability @ 1mph loaded (%)	<u>29%</u>
Service Brake Type	<u>Hydraulic(foot) activated, Drums and Shoes</u>
Parking Brake Type	<u>Pedal actuated</u>
Engine HP	<u>55</u>
Transmission Type	<u>Powershift</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>15.9 gal.</u>
Draw Bar Pull	<u>4400 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options days after receipt of order (ARO)

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight
\$100.00 Deductable , cost per unit----\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Optional Equipment
(not included in this Quotation)

Item	Price	Accepted*
1. 3 Way Valve (With 3rd Function Internal Hosing)	\$586	
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	
4. Cascade 42" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,272	
5. Fire Extinguisher	\$124	
6. LED Headlights	\$311	
7. LED Rear Combination Lights	\$290	
8. LED Rear Working Light	\$137	
9. Orange Seat Belt	\$59	
10. Radiator Screen	\$161	
11. Rear Assist Grip with Horn Button	\$105	
12. Rear Combination Lights	\$153	
13. Rear Side Ring Wheels	\$262	
14. Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$847	
15. Rear View Mirrors (Left & Right Sides)	\$99	
16. Solid Pneumatic Tires - Front	\$589	
17. Steering Wheel with Knob	\$20	
18. Strobe Light - Yellow	\$237	
19. TS15-CASCADE INT. SS/FP (FSV)	\$1,863	

* Customer: please signify acceptance of an option by initialing in the space provided.

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota MODEL 8FD35U
EACH \$ 43,210.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>8000 lbs. basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>12750 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>250x15 Drive / 7x12 Steer</u>
Tire Type:	<u>Pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>7700 lbs. @ 187" without attachments</u>
Length to Fork Face: (in)	<u>115.2"</u>
Width: (in.)	<u>53.1"</u>
Wheelbase (in)	<u>74.8"</u>
Turning Radius: (in)	<u>103"Outside</u>
Gradeability @ 1mph loaded (%)	<u>43%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Hand type</u>
Engine HP	<u>74</u>
Transmission Type	<u>Automatic w/phase type 2 stator torque convertor</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>24 gal.</u>
Draw Bar Pull	<u>8100 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options **days after receipt of order (ARO)**

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight
\$100.00 Deductable , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 3 Way Valve (With 3rd Function Hosing)	\$798	_____
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$2,253	_____
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$134	_____
4. Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935	_____
5. Dual Drive Tires	\$962	_____
6. SIDSHIFT FORK POSITIONER (requires #2. 4 way valve)	\$2,365	_____
7. Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71	_____
8. LED Headlights	\$305	_____
9. LED Rear Combination Lights	\$337	_____
10. LED Rear Working Light	\$337	_____
11. Orange Seat Belt	\$57	_____
12. Rear Assist Grip with Horn Button	\$84	_____
13. Rear Combination Lights	\$119	_____
14. Rear Side Ring Wheels	\$266	_____
15. Rear View Mirrors (Left & Right Sides)	\$28	_____
16. Solid Pneumatic Drive Tires	\$615	_____
17. Solid Pneumatic Steer Tires	\$615	_____
18. Steering Wheel with Knob	\$14	_____
19. Strobe Light - Yellow	\$114	_____
20.		_____

** Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota

MODEL 8FD40U

EACH \$ 44,520.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>9000 lbs. basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>13560 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>250x15 Drive / 7x12 Steer</u>
Tire Type:	<u>Pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>8800 lbs. @ 187" without attachments</u>
Length to Fork Face: (in)	<u>117.3"</u>
Width: (in.)	<u>53.1"</u>
Wheelbase (in)	<u>74.8"</u>
Turning Radius: (in)	<u>104.5"</u>
Gradeability @ 1mph loaded (%)	<u>39%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Hand Type</u>
Engine HP	<u>74</u>
Transmission Type	<u>Automatic w/phase type 2 stator torque converter</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>24 gal.</u>
Draw Bar Pull	<u>8100 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options days after receipt of order (ARO)

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable
Cost per unit----\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight
\$100.00 Deductable , cost per unit----\$999.00

C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight
\$100.00 Deductable, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature

Man Davis

Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 3 Way Valve (With 3rd Function Hosing)	\$798	_____
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$2,253	_____
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$134	_____
4. Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935	_____
5. Dual Drive Tires	\$962	_____
6. SIDSHIFT FORK POSITIONER (Requires #2. way valve)	\$2,365	_____
7. Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71	_____
8. LED Headlights	\$305	_____
9. LED Rear Combination Lights	\$337	_____
10. LED Rear Working Light	\$337	_____
11. Orange Seat Belt	\$57	_____
12. Rear Assist Grip with Horn Button	\$84	_____
13. Rear Combination Lights	\$119	_____
14. Rear Side Ring Wheels	\$266	_____
15. Rear View Mirrors (Left & Right Sides)	\$28	_____
16. Solid Pneumatic Drive Tires	\$615	_____
17. Solid Pneumatic Steer Tires	\$615	_____
18. Steering Wheel with Knob	\$14	_____
19. Strobe Light - Yellow	\$114	_____

** Customer: please signify acceptance of an option by initialing in the space provided.*

Item # 2 – Purchase of a new Solid/Pneumatic Tired Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Toyota MODEL 8FD45U
EACH \$ 48,178.00

Specification

The forklift to be furnished under these specifications shall be **diesel powered**, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>10,000 lbs. basic capacity @ 24" load center</u>
Volts	<u>12 volt system</u>
Service Weight	<u>14750 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>300x15 Drive / 7x14 Steer</u>
Tire Type:	<u>Pneumatic</u>
Number of tires Front/Rear	<u>Two / Two</u>
Max. Fork Height, Full Capacity: (in)	<u>9300 lbs. @ 187" without attachments</u>
Length to Fork Face: (in)	<u>122.4"</u>
Width: (in.)	<u>57.1"</u>
Wheelbase (in)	<u>78.7"</u>
Turning Radius: (in)	<u>108.5"</u>
Gradeability @ 1mph loaded (%)	<u>35%</u>
Service Brake Type	<u>Hydraulic (foot operated) Drums and Shoes</u>
Parking Brake Type	<u>Hand Type</u>
Engine HP	<u>74</u>
Transmission Type	<u>Automatic w/phase type 2 torque converter</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>24 gal.</u>
Draw Bar Pull	<u>8100 lbs.</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Note: We try to stock most common models and options.

Delivery will be made Variable/depending on Options days after receipt of order (ARO)

Delivery will vary depending on model and options required. Also, when order placed.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response.

Please see attached Factory Warranty.

First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Optional Extended Warranty

A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductible
Cost per unit---\$403.00

B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight
\$100.00 Deductible , cost per unit---\$999.00


C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight
\$100.00 Deductible, Cost per unit \$1,126.00

D. Sixty (60) Months or 10,000 hours, Carriage to counter weight
\$100.00 Deductible, Cost per unit---\$1,503.00

Company Name

Forklifts of Central Mo., Inc.

Signature



Optional Equipment
(not included in this Quotation)

<u>Item</u>	<u>Price</u>	<u>Accepted*</u>
1. 3 Way Valve (With 3rd Function Hosing)	\$798	_____
2. 4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$2,253	_____
3. Adjustable Volume Back-up Alarm (Smart Alarm)	\$134	_____
4. Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935	_____
5. Dual Drive Tires	\$1,117	_____
6. SIDSHIFT FORK POSITIONER (Requires #2. 4 way valve)	\$2,365	_____
7. Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71	_____
8. LED Headlights	\$305	_____
9. LED Rear Combination Lights	\$337	_____
10. LED Rear Working Light	\$337	_____
11. Orange Seat Belt	\$57	_____
12. Rear Assist Grip with Horn Button	\$84	_____
13. Rear Combination Lights	\$119	_____
14. Rear Side Ring Wheels	\$266	_____
15. Rear View Mirrors (Left & Right Sides)	\$28	_____
16. Solid Pneumatic Drive Tires	\$977	_____
17. Solid Pneumatic Steer Tires	\$977	_____
18. Steering Wheel with Knob	\$14	_____
19. Strobe Light - Yellow	\$114	_____

** Customer: please signify acceptance of an option by initialing in the space provided.*