If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE	Clark		MODEL	C30L
		EACH \$_	28,224.00	A

Specification

Fuel Type

Fuel Capacity

Draw Bar Pull

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

plate the following for consideration of acceptable make and model

Vendor must complete the following for co	nsideration of acceptable make and model.
Load Capacity: lbs	<u>6,000 lbs. @</u> 24" load center
Volts	12 Volt system
Service Weight	9,786 lbs.
Wheels: Front/Rear: (x=driven)	815x15 Drive & 650x10 Steer
Tire Type:	Solid Pneumatic
Number of tires Front/Rear	Two Drive & Two Steer
Max. Fork Height, Full Capacity: (in)	6,000 lbs. Base/ 6,000 lbs. cap.@189" W/Solid Pneum
Length to Fork Face: (in)	147"
•	48.7"
Width: (in.) Wheelbase (in)	66.9"
• • • • • • • • • • • • • • • • • • • •	94.7" outside radius
Turning Radius: (in)	29.1%
Gradeability @ 1mph loaded (%)	Drum & Shoe
Service Brake Type	Pedal actuated
Parking Brake Type	70.4 H.P.
Engine HP	Powershift
Transmission Type	TIPC Fuel

LPG Fuelant

4,751 lbs.

33 lbs. tank

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$600.00
Option 2	Extended Warranty FlexGuard 48: FG48-12/36/6,000 Hrs.	\$750.00
Option 3	Extended Warranty FlexGuard 60: FG60-12/48/10,000 Hrs.	\$950.00
Option 4	Side shifter with hosing	\$1,587.00
Option 5	Double Aux. Valve and Double Hosing Kit, for Two function attachment.	\$1,117.00
Option 6	Side shifting fork positioner, (requires DAV & DHK) Above	\$1,785.00

OPTION	DESCRIPTION	Price
Option 7	Rear grab handle W/horn button	\$105.00
Option 8	Two Rear view mirrors	
Option 9	Combination Rear Lights, Stop, Tail & Back-up	\$114.00
Option 10	Amber Strobe light	\$180.00
Option 11	Audible: Back-up alarm Smart	\$173.00
Option 12	One (I) Rear work light	\$158.00
Option 13	Double Aux. Valve & Double Hosing Kit to	\$153.00
Option 14	Operate a two function attachment Side shifter with hosing kit	\$1,285.00
Option 15	Side shifting Fork positioner, Requires	\$1,495.00
en en en en la lata de	Double Aux: Valve & Double hosing kit ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark		MODEL	C35L
	EACH \$_	30,389.00	and the second of the second o

Specification

Fuel Capacity

Draw Bar Pull

The forklift to be furnished under these specifications shall be *propane powered*, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Vehicle must complete the renewing is	- 000 11 A 0/11 1-od contor
Load Capacity: lbs	7,000 lbs. cap. @ 24" load center
Volts	12 Volt system
Service Weight	11,014 lbs.
Wheels: Front/Rear: (x=driven)	250x15 Drive & 650x10 Steer
	Solid Pneumatic
Tire Type: Number of tires Front/Rear	Two Drive & Two Steer
	7,000 lbs. Base/ 7,000 lbs. cap. @182" W/O
Max. Fork Height, Full Capacity: (in)	151.1" With solid pneumatic, W/O attachmen
Length to Fork Face: (in)	51.8"
Width: (in.)	66.9"
Wheelbase (in)	97.6" outside
Turning Radius: (in)	26.2%
Gradeability @ 1mph loaded (%)	
Service Brake Type	Drum & Shoe
Parking Brake Type	Pedal actuated
Engine HP	70.4 H.P.
Transmission Type	Powershift
Fuel Type	LPG
Fuel Canacity	33 lbs. tank

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$600.00
Option 2	Extended Warranty FlexGuard 48: FG48-12/36/6,000 Hrs.	\$750.00
Option 3	Extended Warranty FlexGuard 60: FG60-12/48/10,000 Hrs.	\$950.00
Option 4	Side shifter with hosing	\$1,587.00
Option 5	Double Aux. Valve and Double Hosing Kit, for two function attachment.	\$1,117.00
Option 6	Sid shifing fork positioner, (requires DAV & DHK) above	\$1,785.00

4,390 lbs.

OPTION	DESCRIPTION	
Option 7	Rear grab handle W/horn button	Price
Option 8	Two Rear view mirrors	\$105.00
Option 9		\$114.00
Option 10	Combination Rear Lights, Stop, Tail & Back-up	\$180.00
Option 11	Amber Strobe light	\$173.00
Option 12	Audible Back-up alarm Smart	\$158.00
Option 13	One (1) Rear work light	\$153.00
Option 14	Double Aux. Valve & Double Hosing Kit to operate a two function attachment	\$1,285.00
	Side shifter with hosing kit	\$1,495.00
Option 15	Side shifting Fork positioner, Requires <u>Double Aux. Valve & Double hosing kit</u> ABOVE	\$2,360.00
Option 16		
Option 17		
Option 18		
Option 19		
Option 20		

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE	Clark		MODEL C40L	
		EACH	\$ 43,844.00	

Specification

Draw Bar Pull

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	8,000 lbs. @ 24" load center
Volts	12 Volt system
Service Weight	13,367 lbs.
Wheels: Front/Rear: (x=driven)	825x15 Drive & 700x12 Steer
Tire Type:	Solid Pneumatic
Number of tires Front/Rear	Two Drive & Two Steer
Max. Fork Height, Full Capacity: (in)	8,000 lbs. Base/ 8,000 lbs. @ 177" W/O attachment
Length to Fork Face: (in)	161.9" & solid Pneumatic tires
Width: (in.)	55.1"
Wheelbase (in)	76.8"
Turning Radius: (in)	111.9" outside
Gradeability @ 1mph loaded (%)	43.3 %
Service Brake Type	Wet Disc Brakes (Std. Warranty 36 Months/10,000 Hrs
Parking Brake Type	Lever actuated
Engine HP	109.9 H.P
Transmission Type	Two Speed/Automatic Forward-REverse
Fuel Type	LPG
Fuel Capacity	33 1bs. tank

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty FlexGuard 48: FG48-12/36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty FlexGuard 60: FG60-12/48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8:OHL/64.8"FL	\$355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCT	(\$-430.00)

8,229 1bs

OPTION	DESCRIPTION	Price
Option 7	Two Rear view mirrors	\$87.00
Option 8	Rear Handle grab handle with horn button	\$68.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$264.00
Option 10	One rear work light	\$ 137.00
Option 11	Amber Strobe light	\$158.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$1,587.00
Option 14	Double Aux. valve & Double hosing kit for a two function attachment	\$1,326.00
Option 15	Side shifting fork positioner.(requires DAV/DHK)	\$2,365.00
Option 16	Dual Drive Tires (AIR)	\$ 978.00
Option 17	Dual Drive Tires (SOLID)	\$ 1,236.00
Option 18	Enclosed All Weather Cab, including Heater, Dome light, Lockable doors, 2-speed blower & fan	
Option 19	Factory Order ONLY	Ψ3,360.00
Option 20		

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE	Clark			MODEL	C45L	
1 7		EACI	H\$ <u>45</u> ,	912.00		

Specification

Fuel Capacity

Draw Bar Pull

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

vertual must complete the following to co	
Load Capacity: lbs	9,000 lbs. @ 24" load center
Volts	12 Volt system
Service Weight	14,191 lbs.
Wheels: Front/Rear: (x=driven)	825x15 Drive & 700x12 Steer
Tire Type:	Solid Pneumatic
Number of tires Front/Rear	Two Drive & Two Steer
Max. Fork Height, Full Capacity: (in)	9,000 lbs. BAse/8,800 lbs.cap.@24" load center177"
Length to Fork Face: (in)	121.8"
Width: (in.)	55.1"
Wheelbase (in)	76.8"
Turning Radius: (in)	113.4" outside
Gradeability @ 1mph loaded (%)	39.2 %
Service Brake Type	Wet Disc Brakes, (Std.Warranty 36 Months/10,000 Hrs
Parking Brake Type	Lever actuated
Engine HP	109.9 H.P
Transmission Type	Two Speed/Automatic Forward-Reverse
Fuel Type	LPG
Fuel Capacity	33 lbs. tank

8262 lbs.

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty FlexGuard 48: FG48-12/36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty FlexGuard 60: FG60-12/48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8:OHL/64.8"FL	\$355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCT	(\$-430.00)

,000 Hrs

OPTION	DESCRIPTION	Deia
Option 7	Two Rear view mirrors	Price
Option 8	Rear Handle grab handle with horn button	\$87.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$68.00
Option 10	One rear work light	\$264.00
Option 11	Amber Strobe light	\$ 137.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$158.00
Option 14	Double Aux. valve & Double hosing kit for a two	\$1,587.00
Option 15	function attachment Side shifting fork positioner.(requires DAV/DHK)	\$1,326.00
Option 16	Dual Drive Tires (AIR)	\$2,365.00
Option 17	Dual Drive Tires (SOLID)	\$ 978.00
Option 18	Enclosed All Weather Cab including Heather D	\$ 1,236.00
Option 19	light, Lockable doors, 2-speed blower & fan Factory Order ONLY	\$3,980.00
Option 20		

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Clark	MODEL C50SL
	40.540.00
Specification	EACH \$ 49,548.00

Specification

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model. Load Capacity: lbs

Volts

Service Weight

Wheels: Front/Rear: (x=driven)

Tire Type:

Number of tires Front/Rear

Max. Fork Height, Full Capacity: (in)

Length to Fork Face: (in)

Width: (in.) Wheelbase (in)

Turning Radius: (in)

Gradeability @ 1mph loaded (%)

Service Brake Type Parking Brake Type

Engine HP

Transmission Type

Fuel Type Fuel Capacity Draw Bar Pull 10,000 lbs. @ 24" load center

12 Volt system

15,887 lbs.

825x15 Drive & 700x12 Steer

Solid Pneumatic

Two Drive & Two steer

10,000 lbs cap base/10,000 lbs@ 177"/@24" load

127.3" center

55.1" 82.7"

119.4"

36.5%

Wet Disc, (Std. Warranty 36 Months/10,000 Hrs)

Lever actuated

109.9 H.P.

Two Speed/Automatic Forward-Reverse

LPG

33 lbs.tank

8,714 lbs.

List any vendor-recommended options. Use additional sheets if necessary

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty FlexGuard 36: FG36-12/24/5,000 Hrs.	\$750.00
Option 2	Extended Warranty FlexGuard 48: FG48-12/36/6,000 Hrs.	\$950.00
Option 3	Extended Warranty FlexGuard 60: FG60-12/48/10,000 Hrs.	\$1,250.00
Option 4	Three stage Upright 189"MFH/93.8:OHL/64.8"FL	\$355.00
Option 5	Three stage Upright 197"MFH/96.5"OHL/67.4"FL	\$450.00
Option 6	Pneumatic AIR Drive & Steer tires DEDUCT	(\$-430.00)

OPTION	DESCRIPTION	Price
Option 7	Two Rear view mirrors	\$87.00
Option 8	Rear Handle grab handle with horn button	\$68.00
Option 9	Rear Combination lights, Brake, tail & back-up	\$264.00
Option 10	One rear work light	\$ 137.00
Option 11	Amber Strobe light	\$158.00
Option 12	Audible back-up alarm	\$158.00
Option 13	Side shifter with single hosing kit	\$1,587.00
Option 14	Double Aux. valve & Double hosing kit for a two function attachment	\$1,326.00
Option 15	Side shifting fork positioner.(requires DAV/DHK)	\$2,365.00
Option 16	Dual Drive Tires (AIR)	\$ 978.00
Option 17	Dual Drive Tires (SOLID)	\$ 1,236.00
Option 18	Enclosed All Weather Cab, including Heater, Dome light, Lockable doors, 2-speed blower & fan	\$ 1,236.00
Option 19	Factory Order ONLY	φυ, σου. υυ
Option 20		

IJ	bidding multiple	makes or models	, make copies of th	is pricing sheet and	submit it with your bid.

MAKE T	oyota		MODEL	8FGU25	5
			25 597 00		
Ouasigia-ira		EACH \$	25,587.00	<u> </u>	

The forklift to be furnished under these specifications shall be diesel powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

make and model.
pacity @ 24" load center
화됐게 하다면 하고싶어요? 그는 그 모양이
얼굴하다 하면 하는 이 사람들이 되었다.
Steer Air
out Attachments
있는 계획하는 기업은 이렇게 되어 되는 것이다.
선생 밝아보다는 사고들이 보다 있다.
시설하고 생님 하는 사람이 시간된 그 하기
영화 호텔은 살아 이 아들까지 말아 들어왔다.
vated, Drum and Shoe
Vacca, Dram and Broc
물 세계로 살린 내려는 게 되는 것이다.
하는 성숙하는 아무리 하는 이 나는 모든 네네
보면 되었다. 중요한 소리가 되면 되면 그렇게 되어
보이를 뛰었다. 하철인 이렇게 되는 모양이 된
물이 끝든 뭐 되는 말을 하고 뭐야 한다.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment/ Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____10% Note: We try to stock most common models and options. Delivery will be made Variable/depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00

Forklifts of Central Mo., Inc.

Man Can

Company Name

Signature

Optional Equipment

(not included in this Quotation)

	Item	Price	Accepted*
1.	3 Way Valve (With 3rd Function Internal Hosing)	\$586	·
2.	33 lb. LP Steel Tank	\$169	
3.	4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	
5.	Cascade 40" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,022	
6.	Fire Extinguisher	\$115	
7.	LED Headlights	\$311	
8.	LED Rear Combination Lights	\$290	
9.	LED Rear Working Light	\$137	
10.	Orange Seat Belt	\$59	
11.	Radiator Screen	\$161	
12.	Rear Assist Grip with Horn Button	\$105	
13.	Rear Combination Lights	\$153	
14.	Rear Side Ring Wheels	\$262	
15.	Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$803	
16.	Rear View Mirrors (Left & Right Sides)	\$99	
17.	Solid Pneumatic Tires - Front	\$545	
18.	Steering Wheel with Knob	\$20	
19.	Strobe Light - Yellow	\$237	
20.	TS15-CASCADE INT. SS/FP (FSV)	\$1,675	

^{*} Customer: please signify acceptance of an option by initialing in the space provided.

Item #3 - Purchase of a new Solid/Pneumatic Tired Forklift (Propane Powered) 6,000 to 10,000

ib. capacity, per specification, NET DELIVERED PRICE to ordering location.		
보고 보고 보는 사람이 있는 . # 보고 하고 보다는 사람들이 바다 바다 가는 보고 하는 사람들이 되었다. 그 사람들이 다른 사람들이 되었다.		
If hidding multiple makes on a Lt. t		
If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.	· · · ·	

MAKE	Toyota	MODE	L 8FG	U 30
Spacification		EACH \$ 28,009.00		

Specification

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and mo

isideration of acceptable make and model
6000 lbs. Basic capacity @ 24" load center
12 volt system
9270 lbs.
28x9-15 Drive / 6.50x10 steer
Pneumatic
Two / Two
3950 lbs. @ 189" without attachments
109.4"
a en la companya da
48.8"
66.9
92.5"Outside
Hydraulic(foot) activated, drums and shoes
Pedal actuated
Powershift
LPG
33 lbs. LPG tank
4400 lbs.

List any vendor-recommended options. Use additional sheets

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment/Extra Care	See Attachment
Option 2	See Attachment/ Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount _____10% Note: We try to stock most common models and options. Delivery will be made Variable/depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00

Forklifts of Central Mo., Inc.

Man Com

Company Name

Signature

	Item	Price	Accepted*
1.	3 Way Valve (With 3rd Function Internal Hosing)	\$586	
2.	33 lb. LP Steel Tank	\$169	
3.	4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	
5.	Cascade 42" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,272	
6.	Fire Extinguisher	\$124	
7.	LED Headlights	\$311	
8.	LED Rear Combination Lights	\$290	
9.	LED Rear Working Light	\$137	
10.	Orange Seat Belt	\$59	
11.	Radiator Screen	\$161	
12.	Rear Assist Grip with Horn Button	\$105	
13.	Rear Combination Lights	\$153	
14.	Rear Side Ring Wheels	\$262	· · · · · · · · · · · · · · · · · · ·
15.	Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$847	
16.	Rear View Mirrors (Left & Right Sides)	\$99	***
17.	Solid Pneumatic Tires - Front	\$589	· · · · · · · · · · · · · · · · · · ·
18.	Steering Wheel with Knob	\$20	
19.	Strobe Light - Yellow	\$237	
20.	TS15-CASCADE INT. SS/FP (FSV)	\$1,863	

^{*} Customer: please signify acceptance of an option by initialing in the space provided.

	그림으로 함께 발표한다고 말하고 하나 주는 네트리스 용어 나는 어느 나는	
If blading multiple makes or models,	make copies of this pricing sheet and submit it with your bid.	

MAKE	Toyota		MO	DEL	8FGU32	
				'DLL		
		EACH \$	29,1	35.00		
Specification	1					

The forklift to be furnished under these specifications shall be *propane powered*, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	6500 The begin consists a gard model.
Volts	6500 lbs. basic capacity @ 24" load center 12 volt system
Service Weight	9500 lbs.
Wheels: Front/Rear: (x=driven)	
Tire Type:	28x9-15 Drive / 6.50 x 10 Steer
Number of tires Front/Rear	Pneumatic
	Two / Two
Max. Fork Height, Full Capacity: (in)	6500 lbs. @ 187" without attachments
Length to Fork Face: (in)	
Width: (in.)	: <u>48 : 8 !! </u>
Wheelbase (in)	66.9" - 10.00 m
Turning Radius: (in)	93.3" outside
Gradeability @ 1mph loaded (%)	$\overline{26\%}$
Service Brake Type	Hydraulic(foot) activated, Drums and Shoes
Parking Brake Type	Pedal actuated
Engine HP	59
Transmission Type	Powershift
Fuel Type	LPG
Fuel Capacity	- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
Draw Bar Pull	33 lbs. tank
남고 [[이 고구현급기]. 본 이 어려워서 그렇다 그 이 그 그렇게 이렇다	<u>4400 1bs.</u>

List any vendor-recommended options. Use additional sheets if necessary

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

pricina auides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10% Note: We try to stock most common models and options. Delivery will be made Variable / depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months. Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00 Forklifts of Central Mo., Inc. Company Name Man Den Signature

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or

	Item	Price	Accepted*
1.	3 Way Valve (With 3rd Function Internal Hosing)	\$586	
2.	33 lb. LP Steel Tank	\$169	
3.	4 Way Valve (With 3rd & 4th Function Internal Hosing)	\$1,201	
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$137	
5.	Cascade 42" Hang-on Sideshifter (Includes 3rd Function Internal Hosing)	\$1,272	
6.	Fire Extinguisher	\$124	
¹ 7.	LED Headlights	\$311	
8.	LED Rear Combination Lights	\$290	
9.	LED Rear Working Light	\$137	<u> </u>
10.	Orange Seat Belt	\$59	
11.	Radiator Screen	\$161	
12.	Rear Assist Grip with Horn Button	\$105	
13.	Rear Combination Lights	\$153	
14.	Rear Side Ring Wheels	\$262	
15.	Rear Solid Pneumatic Tires - Including Rear Side Ring Wheels	\$847	-
16.	Rear View Mirrors (Left & Right Sides)	\$99	
17.	Solid Pneumatic Tires - Front	\$589	
18.	Steering Wheel with Knob	\$20	
19.	Strobe Light - Yellow	\$237	
20.	TS15-CASCADE INT. SS/FP (FSV)	\$1,863	

^{*} Customer: please signify acceptance of an option by initialing in the space provided.

MAKE	Toyota		MODEL 8FG35U		
		EACH \$	42,407.00		
Specifica	tion				
This unit s suspension model. It s controls, in	shall be designed on stability to carry shall be a comple nstruments and o	for outdoors use wi and lift capacity lo te hi-visibility three	cations shall be propane power 0,000 lbs at 24-inch fork face to the approximate 48" forks has the ads on uneven terrain. This unit (3) stage one-man operating unit grouped and located at the operation and rear.	load center of gravity. e axle capacity and t shall be a sit down	
Vendor n	nust complete	he following for	consideration of acceptable	e make and model.	
Load Capa	acity: Ibs		8000 lbs. basic capac	ity @ 24" load cent	
Volts Sonios W	Alabe		12 volt system		
Service W			12570 1bs.		
Tire Type:	ront/Rear: (x=driv	en)	$\frac{250 \times 15 \text{ Drive}}{7 \times 12 \text{ S}}$	teer	
	tires Front/Rear		Pneumatic	한 마시노이에 또 보다. 석조	
	Height, Full Capa	oity (in)	Two / Two	나는 나는 내는 마음이 되는 것이다.	
	Fork Face: (in)	icity. (III)	7700 lbs. @ 187" without attachments		
Width: (in.			115.2" 53.1"		
Wheelbase			74.8"	네	
Turning Ra			103"Outside		
	ty @ 1mph loade	d (%)	42%		
Service Br	ake Type		Hydraulic(foot opera	ted) Drime and Chee	
Parking Br	ake Type		Hand type	cody brums and Bhoes	
Engine HF			87		
Transmiss	ion Type		Automatic w/phase typ	e 2 stator torque co	
Fuel Type			LPG		
Fuel Capa			33 lbs. tank	공료는 발표 회교는 그리어 보다	
Draw Bar I	Pull		7900 1bs.	그런 얼마난 시작 경기 얼마	
l int a					
OPTION	ndor-recommend	ed options. Use add	ditional sheets if necessary.		
OF HOIN		DESCI	RIPTION	Price	
Option 1	Extended Wa	rranty See Atta	chment / Extra Care	See Attachment	
Option 2	See Atta	chment / Option	al Equipment	See Attachment	
Option 3					
Option 4					
and the first of the first of			アン・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	and the control of th	

Option 6

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount Note: We try to stock most common models and options. Delivery will be made Variable/depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00

Forklifts of Central Mo., Inc.

Man Cherry

Company Name

Signature

13

	Item	Price	Accepted*
1.	3 Way Valve (With 3rd Function Hosing)	\$798	
2.	4 Way Valve (With 3rd & 4th Function Hosing)	\$2,253	
3.	43.5 lb. LP Steel Tank	\$181	
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$134	
5.	Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935	
6.	Dual Drive Tires	\$962	
7.	SIDSHIFT FORK POSITIONER (Requires #2. 4 way valve)	\$2,365	
8.	Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71	
9.	LED Headlights	\$305	
10.	LED Rear Combination Lights	\$337	
11.	LED Rear Working Light	\$337	
12.	Orange Seat Belt	\$57	
13.	Rear Assist Grip with Horn Button	\$84	
14.	Rear Combination Lights	\$119	· · · · · · · · · · · · · · · · · · ·
15.	Rear Side Ring Wheels	\$266	
16.	Rear View Mirrors (Left & Right Sides)	\$28	
17.	Solid Pneumatic Drive Tires	\$615	
18.	Solid Pneumatic Steer Tires	\$615	
19.	Steering Wheel with Knob	\$14	
20.	Strobe Light - Yellow	\$114	

^{*} Customer: please signify acceptance of an option by initialing in the space provided.

MAKE	Toyota	. 1991 - 1991 - 1993 <u>- 1991 -</u> 1995 - 1993	MODEL	8FG40U		
		EACH \$	43,709.00			
Specificat	ion					
This unit sh suspension model. It sh controls, in	nall be designed for stability to carry nall be a complete struments and ga	or outdoors use wand lift capacity lo	ith approximate 40 and so the control of the contro	ropane powered, I ch fork face to load 3" forks has the axl rrain. This unit sha n operating unit wit ated at the operator	I center of gravity. e capacity and all be a sit down	
Vendor m	ust complete th	ne following for	consideration	of acceptable ma	ake and model	
Load Capac	city: lbs	기가 하면 생각하다	9 <u>000</u> lbs. 1	asic capacity	@ 24" load cente	
Volts			12 volt system			
Service We			13380 1bs.			
	ont/Rear: (x=drive	n) .		<u>ve</u> / 7x12 Stee	r	
Tire Type:	tires Front/Rear		<u>Pneumatic</u>			
		:L X:_N	Two / Two			
l ength to E	leight, Full Capac ork Face: (in)	oity. (in)	<u>8800 lbs.</u>	<u>@ 1</u> 87" without	attachments	
Width: (in.)	ork race. (III)		117.3"			
Wheelbase	(in)		53.1"			
Turning Ra			74.8" 104.5"			
	/ @ 1mph loaded	(%)	38%			
Service Bra	ike Tyne			.	T-01	
Parking Bra			Hand Type	Tool operated)	Drums and Shoes	
Engine HP			87			
Transmission	on Type			w/nhace type 2	stator torque o	
Fuel Type			LPG	w/phase type 2	stator torque (
Fuel Capac	ity		$\frac{1}{33}$ 1bs. ta	ink		
Draw Bar P	ull			7900 1bs.		
List any ver	ndor-recommende	d options. Use ad	ditional sheets if n	ecessary.		
OPTION		DESC	RIPTION		Price	
Option 1	Extended War	ranty See Att	achment / Exti	a Care	See Attachment	
Option 2	Option 2 See Attachment / Optional Equipment			See Attachment		
Option 3						
Option 4						

Option 6

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount $____{10\%}$ Note: We try to stock most common models and options. Delivery will be made Variable/depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00

Forklifts of Central Mo., Inc.

Man Dans

Company Name

Signature

	Item	Price	Accepted*
1.	3 Way Valve (With 3rd Function Hosing)	\$798	
2.	4 Way Valve (With 3rd & 4th Function Hosing)	\$2,253	
3.	43.5 lb. LP Steel Tank	\$181	
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$134	
5.	Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935	
6.	Dual Drive Tires	\$962	
7.	SIDSHIFT FORK POSITIONER	\$2,365	
8.	REAR SIDE RING WHEELS	\$266	
9.	Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71	
10.	LED Headlights	\$305	· .
11.	LED Rear Combination Lights	\$337	
12.	LED Rear Working Light	\$337	
13.	Orange Seat Belt	\$57	
14.	Rear Assist Grip with Horn Button	\$84	
15.	Rear Combination Lights	\$119	
16.	Rear View Mirrors (Left & Right Sides)	\$28	
17.	Solid Pneumatic Drive Tires	\$615	
18.	Solid Pneumatic Steer Tires	\$615	
19.	Steering Wheel with Knob	\$14	
20.	Strobe Light - Yellow	\$114	

^{*} Customer: please signify acceptance of an option by initialing in the space provided.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKEToyot	:a		MODE	L 8FG45U	
			47 , 284	$X = X_{1} + X_{2} + X_{3}$	_
Specification		EACH \$	47,204		

The forklift to be furnished under these specifications shall be propane powered, have the minimum load capacity of 6,000 lbs and not more than 10,000 lbs at 24-inch fork face to load center of gravity. This unit shall be designed for outdoors use with approximate 48" forks has the axle capacity and suspension stability to carry and lift capacity loads on uneven terrain. This unit shall be a sit down model. It shall be a complete hi-visibility three (3) stage one-man operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: Ibs	onsideration of acceptable make and model.
Volts	10,000 lbs. basic capacity @ 24" load center
그 살이 살림이 전혀났다면 하다 그는 사람들은 사람들이 가장 그를 가장 하는 것이 되었다. 그렇게 되었다면 하는 것이 없는 것이다.	12 volt system
Service Weight	14580 lbs.
Wheels: Front/Rear: (x=driven)	300x15 Drive / 7x14 Steer
Tire Type:	
Number of tires Front/Rear	Pneumatic
	Two / Two
Max. Fork Height, Full Capacity: (in)	9300 lbs. @ 187" without attachments
Length to Fork Face: (in)	122.4"
Width: (in.)	57.1"
Wheelbase (in)	## ## # # # # # # # # # # # # # # # # #
Turning Radius: (in)	行 <u>78.7" (1965年)</u> (1964年) 1965年 (1965年) 1964年 (1965年) (1965年) (1965年) (1965年) (1965年) (1965年) (1965年) (1965年) (19
arming radius. (III)	5. 108.5"
Gradeability @ 1mph loaded (%)	34%
Service Brake Type	Hydraulic (foot operated) Drums and Shoes
Parking Brake Type	Hand The Transport of the Trums and Shoes
Engine HP	Hand Type
	. <u>87 - L. & C. L</u> T
Transmission Type	Automatic w/phase type 2 torque converter
Fuel Type	LPG
Fuel Capacity	33 1bs. tank
Draw Bar Pull	
네고 그 그렇은 한국에는 아들은 여러면 하고 말하고 있다.	<u>7900 lbs.</u>

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty See Attachment / Extra Care	See Attachment
Option 2	See Attachment / Optional Equipment	See Attachment
Option 3		
Option 4		
Option 5		
Option 6		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides. % discount off MSRP for all Data Book or Pricing Guide Options: - % Discount $____{10\%}$ Note: We try to stock most common models and options. Delivery will be made Variable/depending on Optiondays after receipt of order (ARO) Delivery will vary depending on model and options required. Also, when order placed. Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. A copy of standard warranty coverage should be included with bid response. Please see attached Factory Warranty. First Twelve (12) Months or 2,000 hours, Parts and Labor for any Defective Materials and Workmanship. Second Twelve (12) Months, Through Twenty-Four or 4,000 hours Parts and Labor for Major Components. Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty. Optional Extended Warranty A. Twenty-four Months Unlimited Hours Carriage to counter weight, \$100.00 Deductable Cost per unit----\$403.00 B. Thirty-six (36) Months or 6,000 Hours, Carriage to counter weight \$100.00 Deductable, cost per unit----\$999.00 C. Forty-eight (48) Months or 8,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit \$1,126.00 D. Sixty (60) Months or 10,000 hours, Carriage to counter weight \$100.00 Deductable, Cost per unit---\$1,503.00

Forklifts of Central Mo., Inc.

Man Com

Company Name

Signature

	Item	Price	Accepted*	
1.	3 Way Valve (With 3rd Function Hosing)	\$798		
2.	4 Way Valve (With 3rd & 4th Function Hosing)	\$2,253		
3.	43.5 lb. LP Steel Tank	\$181		
4.	Adjustable Volume Back-up Alarm (Smart Alarm)	\$134		
5.	Cascade 46" Sideshifter (Includes 3rd Function Hosing)	\$1,935		
6.	Dual Drive Tires	\$1,117		
7.	SIDSHIFT FORK POSITIONER (Requires #2. 4 way valve)	\$2,365		
8.	Fire Extinguisher (Mounted on rear Overhead Guard Leg)	\$71		
9.	LED Headlights	\$305		
10.	LED Rear Combination Lights	\$337		
11.	LED Rear Working Light	\$337		
12.	Orange Seat Belt	\$57		
13.	Rear Assist Grip with Horn Button	\$84		
14.	Rear Combination Lights	\$119		
15.	Rear Side Ring Wheels	\$266		
16.	Rear View Mirrors (Left & Right Sides)	\$28		
17.	Solid Pneumatic Drive Tires	\$977		
18.	Solid Pneumatic Steer Tires	\$977		
19.	Steering Wheel with Knob	\$14		
20.	Strobe Light - Yellow	\$114		

^{*} Customer: please signify acceptance of an option by initialing in the space provided.