

Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick

MODEL SLP60J4i-2

EACH \$ 59,153.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>6,000 lbs. cap. @ 24" load center</u>
Volts	<u>12 Volt System</u>
Service Weight	<u>11,250 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>Drive tires 15.5x19.5-12 ply/Steer 12x16.5-10 ply</u>
Tire Type:	<u>Pneumatic AIR</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>6,000 lbs. @ 144"MFH</u>
Length to Fork Face: (in)	<u>147"</u>
Width: (in.)	<u>78"</u>
Wheelbase (in)	<u>93"</u>
Turning Radius: (in)	<u>178" outside</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Enclosed Multi Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>4 speed power reversing synchroshuttle</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 Gal.</u>
Draw Bar Pull	<u></u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two stage Upright 169"MFH/118"OHL/0" FL	\$274.00
Option 3	Three Stage upright 180"MFH/91"OHL/61"FL	\$3,310.00
Option 4	Three Stage upright 264"MFH/121"OHL/91"FL	\$4,451.00
Option 5	Four (4) Wheel Drive	\$6,852.00
Option 6	All Weather Cab, W/Heater	\$5,927.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below **days after receipt of order (ARO)**

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to be defects free in material and workmanship for the First Twelve Months or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.


Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature



Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick

MODEL SLP80Ji-2

EACH \$ 62,974.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>8,000 lbs. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>14,356 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>Drive 15x19.5-12 ply, Steer 12x16.5-10 ply</u>
Tire Type:	<u>Pneumatic Air</u>
Number of tires Front/Rear	<u>Two Drive tire & Two Steer tires</u>
Max. Fork Height, Full Capacity: (in)	<u>8,000 lbs. @ 144"MFH</u>
Length to Fork Face: (in)	<u>147"</u>
Width: (in.)	<u>78"</u>
Wheelbase (in)	<u>78"</u>
Turning Radius: (in)	<u>178" outside</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Enclosed Multi Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>4 speed power reversing synchroshuttle</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 Gal.</u>
Draw Bar Pull	<u>4,500 lbs. in Third gear</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two stage Upright 169"MFH/118"OHL/0"FL	\$ 274.00
Option 3	Three stage Upright 180-MFH/91"OHL/61"FL	\$ 3,310.00
Option 4	Three stage Upright 264"MFH/121"OHL/91"FL	\$ 4,451.00
Option 5	Four (4) Wheel Drive	\$ 6,852.00
Option 6	All Weather Cab W/ Heater	\$ 5,927.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below **days after receipt of order (ARO)**

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to be defects free in material and workmanship for the First Twelve Months or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.


Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature



Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick

MODEL S60J4i-2

EACH \$ 59,603.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>6,000 lbs. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>16,400</u>
Wheels: Front/Rear: (x=driven)	<u>Drive 15.5x25-12 ply, steer 14x17.5-14 ply</u>
Tire Type:	<u>Pneumatic AIR</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>6,000 lbs. @ 144" MFH</u>
Length to Fork Face: (in)	<u>149"</u>
Width: (in.)	<u>89"</u>
Wheelbase (in)	<u>89"</u>
Turning Radius: (in)	<u>178" outside</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Enclosed Multi Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>Four Speed fully synchronized power reversing</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 Gal.</u>
Draw Bar Pull	<u>5,600 lbs. in Third Gear</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two Stage Upright 169"MFH/118"OHL/0" FL	\$274.00
Option 3	Three Stage Upright 180"MFH/91"OHL/61"FL	\$3,310.00
Option 4	Three Stage Upright 264"MFH/121"OHL/91"FL	\$4,451.00
Option 5	Four Wheel Drive	\$6,820.00
Option 6	All Weather Cab with Heater	\$5,927.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below **days after receipt of order (ARO)**

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to be defects free in material and workmanship for the First Twelve Months or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.


Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature



Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, **NET DELIVERED PRICE** to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick

MODEL S80J4i-2

EACH \$ 63,567.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>8,000 lbs. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>17,380 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>Drive 15.5x25, Steer 14x17.5</u>
Tire Type:	<u>Pneumatic AIR</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>8,000 lbs. @ 24" load center @ 144"</u>
Length to Fork Face: (in)	<u>150"</u>
Width: (in.)	<u>89"</u>
Wheelbase (in)	<u>89"</u>
Turning Radius: (in)	<u>178"</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>enclosed Multi Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>Four Speed fully syncronized power reversing</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 Gal.</u>
Draw Bar Pull	<u>5,600 lbs. in Third gear</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two Stage Upright 169"MFH/118"OHL/0" FL	\$314.00
Option 3	Three Stage Upright 180"MFH/91"PHL/61"FL	\$4,696.00
Option 4	Three Stage Upright 264"MFH/121'OHL/91"FL	\$6059.00
Option 5	All Weather Cab with Heater	\$5,927.00
Option 6	Air Condition for Cab	\$5,408.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below days after receipt of order (ARO)

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to
be defects free in material and workmanship for the First Twelve Months
or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature



Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick MODEL S100J4i-2

EACH \$ 70,976.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>10,000 lbs. @ 24" load center</u>
Volts	<u>12 Volt system</u>
Service Weight	<u>20,970 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>Drive 15.5x25, Steer 14x17.5</u>
Tire Type:	<u>Pneumatic AIR</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>10,000 lbs. @ 144" MFH</u>
Length to Fork Face: (in)	<u>152"</u>
Width: (in.)	<u>89"</u>
Wheelbase (in)	<u>89"</u>
Turning Radius: (in)	<u>178"</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Enclosed Multi Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>Four-Speed fully synchronized power reversing</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 GAL.</u>
Draw Bar Pull	<u>5,200 in Third gear</u>

4
+
1
item
4
W

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two stage Upright 168"MFH/124"OHL/0"FL	\$658.00
Option 3	Three stage Upright 168"MFH/96"OHL/56"FL	\$6,695.00
Option 4	Three stage Upright 264"MFH/133"OHL/94"FL	\$9,958.00
Option 5	Four Wheel Drive	\$6,820.00
Option 6	All Weathe Cab with Heater	\$6,379.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below days after receipt of order (ARO)

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to be defects free in material and workmanship for the First Twelve Months or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.


Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature



Item # 4 – Purchase of a new Rough Terrain Type Forklift (Diesel Powered) 6,000 to 10,000 lb. capacity, per specification, NET DELIVERED PRICE to ordering location.

If bidding multiple makes or models, make copies of this pricing sheet and submit it with your bid.

MAKE Sellick **MODEL** S120J4i-2

EACH \$ 76,241.00

Specification

The forklift to be furnished under these specifications shall be diesel powered minimum 74 gross horsepower engine. This unit shall be designed for outdoor use, have the axle capacity and suspension stability to carry and lift capacity loads with a minimum of 6000 lbs and maximum of 12,000 lbs@ 24 inch load center on rough and uneven terrain. It shall be a complete one-man sit down operating unit with all foot and hand controls, instruments and gauges conveniently grouped and located at the operator station, easily accessible to the operator, allowing full visibility front and rear. This unit must be provided with standard 48" forks.

Vendor must complete the following for consideration of acceptable make and model.

Load Capacity: lbs	<u>12,000 lbs. @ 24" load center</u>
Volts	<u>12 Volt System</u>
Service Weight	<u>22,720 lbs.</u>
Wheels: Front/Rear: (x=driven)	<u>Drive 15.5x25, Steer 14x17.5</u>
Tire Type:	<u>Pneumatic AIR</u>
Number of tires Front/Rear	<u>Two Drive & Two Steer</u>
Max. Fork Height, Full Capacity: (in)	<u>12,000 lbs. @ 24" load center @ 144"MFH</u>
Length to Fork Face: (in)	<u>159"</u>
Width: (in.)	<u>89"</u>
Wheelbase (in)	<u>89"</u>
Turning Radius: (in)	<u>178"</u>
Gradeability @ 1mph loaded (%)	<u>25%</u>
Service Brake Type	<u>Enclosed Multi-Wet Disc</u>
Parking Brake Type	<u>Lever actuated</u>
Engine HP	<u>74 H.P.</u>
Transmission Type	<u>Three Speed fully synchronized power reversing</u>
Fuel Type	<u>Diesel</u>
Fuel Capacity	<u>26 Gal.</u>
Draw Bar Pull	<u>5,400 lbs. in third gear</u>

List any vendor-recommended options. Use additional sheets if necessary.

OPTION	DESCRIPTION	Price
Option 1	Extended Warranty	Not Available
Option 2	Two Stage Upright 168"MFH/124"OHL/0"FL	\$ 718.00
Option 3	Three Stage Upright 168"MFH/96"OHL/56"FL	\$6,847.00
Option 4	three Stage Upright 264"MFH/133"OHL/94"FL	\$10,133.00
Option 5	Four Wheel Drive	\$6,820.00
Option 6	All Weather Cab with Heater	\$6,376.00

OPTION	DESCRIPTION	Price
Option 7	Air Condition for Cab	\$5,408.00
Option 8	72" Integral Fork Positioner, Holds same Cap.	\$5,978.00
Option 9	60" long forks	\$ 612.00
Option 10	72" long forks	\$ 747.00
Option 11	Amber Strobe light	\$ 308.00
Option 12	UltraSeal Tire Sealant	\$ 410.00
Option 13	Block Heater	\$ 243.00
Option 14	Turn Signals	\$ 396.00
Option 15	Outside Rear view mirrors	\$411.00
Option 16	Service Manuals with Schematics	\$ 173.00
Option 17	Fire Extinguisher ABC 2.5 lb.	\$ 232.00
Option 18		
Option 19		
Option 20		

Please submit a complete parts and options list with detailed pricing information for each make/model your company would be willing to provide. Please indicate below the percentage (%) discount off Manufacturers Suggested Retail Price (MSRP) for all forklift options available in your data book or pricing guides.

% discount off MSRP for all Data Book or Pricing Guide Options: - % Discount 10%

Most any model and specification around 120 days at the longest/Or less.

Delivery will be made Variable see below days after receipt of order (ARO)

Please note delivery will vary depending on which model and specification you need.

Standard Warranty: Provide a description below of the standard warranty for the unit. Indicate the coverage period and what is covered under the warranty. *A copy of standard warranty coverage should be included with bid response.*

Sellick limited warranties for new products. Sellick warranty new equipment to be defects free in material and workmanship for the First Twelve Months or 2,000 Hours which ever comes first. Parts and Labor at no cost to customer.

Extended Warranty: Provide a description below of the extended warranty offered for the unit. Indicate the coverage period and what is covered under the warranty.

Selleck Doesn't offer a Extended Warranty.

Company Name

Forklifts of Central Mo. Inc.

Signature

