



Green Climber^{NA}



remote-controlled slope mower

Green Climber Specifications:

Net Weight	2601 LBS
Maximum Work Gradient	60 Degrees All Directions
Extended Track Width	66.9"
Speed	5.6 MPH
Engine Power	56 HP Tier IV Final
Tank Capacity	10 Gallons
Engine Style	Diesel
Engine Cooling	Liquid
Hydraulic Oil Capacity	12.4 Gallons

Green Climber Flail Head Specifications:


Working Width	51.2"
Total Width	57.4"
Oil Flow	12 Gal/ Min.
Rotating Speed	3300 RPM
Working Pressure	3190 PSI



Green Climber^{NA}

100 E. Cossitt Ave
Grange, IL 60525
(708) 354-2171
(708) 354-8203

greenClimberNA.com



Green Climber LV300 REMOTE CONTROLLED TRACTOR WITH FLAIL



Capable of working on
60° slopes


Extendable tracks

Side-shifting of
attachment

Engine: EPA - TIER
4 final



Remote controlled



MACHINE TECHNICAL SPECIFICATIONS

<i>Model</i>	<i>LV300</i>
<i>Weight of the machine without attachment</i>	<i>680 kg</i>
<i>Maximum work slope</i>	<i>60° in all directions</i>
<i>Speed</i>	<i>8-9 km/h</i>
<i>Engine</i>	<i>Kohler diesel</i>
<i>Cooling</i>	<i>air</i>
<i>N° cylinders</i>	<i>2</i>
<i>Engine Power</i>	<i>28.5hp</i>
<i>Min. track width</i>	<i>1140mm</i>
<i>Max track width</i>	<i>1540mm</i>
<i>Side-shifting of flail</i>	<i>400+400mm</i>
<i>Diesel Fuel tank capacity</i>	<i>18 lt</i>

FLAIL TECHNICAL SPECIFICATIONS

<i>Cutting width</i>	<i>Total width</i>	<i>Rotor speed</i>	<i>Weight</i>	<i>Work pressure</i>
<i>1220[mm]</i>	<i>1330[mm]</i>	<i>3300[giro/1']</i>	<i>110[kg]</i>	<i>220[bar]</i>

**GREEN CLIMBER NORTH AMERICA
LAGRANGE (IL) USA**

Tel. 708 3542182 708 6387396– fax 708 3548203 E-mail: marty@greenclimberna.com



mini


Green Climber^{NA}

remote-controlled slope mower

Mini Green Climber Specifications:


Net Weight	1146 LBS
Maximum Work Gradient	60 Degrees
Speed	5.6 MPH
Engine Power	25 HP
Tank Capacity	2.65 Gallons
Engine Style	Diesel
Engine Cooling	Air Cooled
Hydraulic Oil Capacity	3.4 Gallons

Working Width




1000 mm

Lateral Work Gradient





60 Degrees

Front Work Gradient



40 Degrees



0 E. Cossitt

Grange, IL 60525

(815) 354-2171

www.GreenClimberNA.com

Green Climber^{NA}

WARRANTY AND LIABILITY INFORMATION

The warranty covers manufacturing faults.

The manufacturer has no liability for any damage which may occur during transport.

The machine is delivered without packaging but with a protective film of plastic, the purpose of which is to protect those parts which are subject to oxidation in case of contact with water or with moisture.

The manufacturer is responsible to fasten down the machine assuming responsibility in case the transport is carried out with his own vehicles.

In case with transport by carrier, special attention will be paid to ensure that the machine won't undergo any damage but, as stated above, the manufacturer has no liability if this happens.

To this purpose, if the transport is carried out by carrier, it is advisable to ask them for an appropriate insurance cover.

The customer must verify the conditions of the goods at their arrival, informing the carrier and the manufacturer promptly about the possible damages.

If the customer considers it worthwhile the machine can be packed in a wooden box: the customer will be charged for packaging.

The accessories and the accompanying documents will be placed on-board duly protected in order to avoid any damage.

Items that are excluded from the warranty conditions:

- Parts constituting the machine but which are not manufactured by MDB (e.g.: tracks, transmission belts, bearings, gearboxes, etc.): are covered only by the warranty received by the respective manufacturers.
- Parts whose deterioration is due to wear.

Exceptions that invalidate the warranty:

- Changes to the machine without the written approval by Green Climber NA.
- Repairs carried out in unauthorised workshops.
- Use of non-original spare parts.
- Negligence in the maintenance.
- Use of the machine non-complying with what described in this manual.
- Removal of the protections of the machine: the protections must not be removed under any circumstances; they must be periodically inspected and, if damaged, restored to their original condition;
- Non-fulfilment of the safety precautions connected to the machine described in the operation manual.

The warranty period is specified during the quotation stage and it won't exceed 12 months from the date of shipment.

Warranty Claim Warranty claims must be made in writing to GreenClimber NA within 4 weeks from the occurrence of the fault specifying: name and address of the operator; type, model, serial number, date of sale, date of the fault, working hours, circumstances and presumed causes.

The parts must be sent to Green Climber NA or servicing dealer so they can be examined to grant warranty, an acknowledgment that authorises the replacement of the parts.



Loc. S. Onofrio, 6/A 66034 Lanciano (CH) - ITALY

Tel. (+39) 0872 50221 - 508566 - Fax (+39) 0872 50231