

BARBER


**The
ONLY Way
to Clear
Roadway
Debris!**



ROAD RAKE

The **BARBER ROAD RAKE Model 200**

H. Barber & Sons, Inc. has developed the **ROAD RAKE**, the safest, fastest and most efficient means of removing debris from roadways. Retreads, mufflers and other debris can be removed from the road surface without the operator leaving the **safety** of the vehicle.



The Model 200 uses caster tires (A) to follow the contour of the pavement. Stainless steel tines (B) are mounted on a bar flight conveyor (C). The tines lift and elevate the unwanted debris to the hopper (D), which can be hydraulically raised and dumped. Two gutter brushes (E) on either side of the machine pull material in front of the tines. The Model 200 is operated electronically (F) by one person from the cab of the towing vehicle.

Specifications


HEIGHT.....	8' 5"	HOPPER CLEARANCE	9' 4"
WIDTH.....	8' 4"	DUMPED HEIGHT.....	8' 7"
LENGTH.....	15' 8"	CLEANING SPEED.....	1-18mph
WEIGHT.....	6460lbs.	HIGHWAY SPEED.....	55mph
TIRES.....	235/85R/16	HOPPER CAPACITY.....	4 cu yds.
CLEANING WIDTH Min.....	9' 10"	TONGUE WEIGHT.....	1900lbs.
CLEANING WIDTH Max.....	11' 5"		

Operating Features

DEBRIS REMOVED	Retreads, mufflers, hubcaps, cardboard, wood, paper, cans & litter.
DRIVE TRAIN	A 21hp water-cooled diesel engine provides hydraulic power to the conveyor belt, gutter brushes, hitch and lift mechanisms. An electrical control box activates all functions.
TOWING VEHICLE	We recommend a one-ton pickup or larger truck, with pintle hitch. The Model 200 may be towed by a tractor.
APPLICATIONS	The ROAD RAKE removes debris from roadways, parks, parking lots, open fields, stadiums and along curbs & barricades.
WARRANTY	H. Barber & Sons, Inc. warrants the Model 200 to be free from defects in parts and workmanship for 500 hours or one year, whichever occurs first.

***The Efficient Way
to Remove
Roadside Debris!***


BARBER



LITTER PICKER

The **BARBER LITTER PICKER Model LP 1**

H. Barber & Sons, Inc. has automated the hand raking principle by developing the fastest, most efficient means of removing litter from roadsides and other grass areas. The LITTER PICKER is faster and safer than conventional hand removal methods



The Model LP 1 is completely operated by one man from the towing tractor. The machine utilizes caster tires (A) to follow the contour of the area being cleaned. Stainless steel tines (B) are mounted on a bar flight conveyor (C). The tines lift and elevate debris to the hopper (D), which can be hydraulically raised and dumped.

Specifications

HEIGHT..... 8' 5"
WIDTH..... 8' 1"
LENGTH..... 13' 7"
WEIGHT..... 4800lbs.
TIRES..... 31 x 13:50 - 15
CLEANING WIDTH 7'

HOPPER CLEARANCE 9' 4"
DUMPED HEIGHT..... 8' 7"
MAXIMUM CLEANING SPEED... 15mph
average..... 7mph
HOPPER CAPACITY..... 4 cu yds.
TONGUE WEIGHT..... 1400lbs.

Operating Features

DEBRIS REMOVED	Retreads, papers, cans, cardboard, cups, wood, road kill & litter.
AREA CLEANED	Up to 8 acres per hour, depending on land contour and the amount of debris to be removed.
DRIVE TRAIN	The tractor drives a spline mounted hydraulic pump which supplies power to the conveyor mechanism through a hydraulic motor and roller chain.
TOWING TRACTOR	A 50-60HP rubber tired agricultural tractor with a 540 PTO, 3 point hitch and two auxiliary hydraulic outlets.
APPLICATIONS	The LITTER PICKER removes debris from roadsides, parks, dirt parking lots, open fields, and stadiums.
WARRANTY	H. Barber & Sons, Inc. warrants the Model LP 1 to be free from defects in parts & workmanship for 500 hours or one year, whichever occurs first.



BARBER EQUIPMENT LIMITED WARRANTY

H. BARBER & SONS, INC. warrants its BARBER EQUIPMENT to be free from defects in workmanship and materials for a period of one (1) year from the date of purchase.

The sole obligation of H. BARBER & SONS, INC. shall be to make repairs and replace parts that have been determined to be defective by H. BARBER & SONS, INC. in accordance with the Warranty claim procedures specified below.

NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE SHALL APPLY.

CLAIMS PROCEDURE

Warranty claims must be presented, in writing, to H. BARBER & SONS, INC. or an authorized service facility, and must include the following information: BARBER EQUIPMENT Model; BARBER EQUIPMENT Serial Number; Date of Purchase; Owner Name and Address; and Place of Purchase.

EXCLUSIONS

This warranty shall extend only to the original owner/end user and is expressly not transferable. Further, this Warranty shall not apply to any BARBER EQUIPMENT or part that has been repaired or altered without the consent of H. BARBER & SONS, INC. or that has been subject to misuse, accident or neglect.

Use of spare or replacement parts other than those manufactured, supplied or approved by H. BARBER & SONS, INC. will void this Warranty.

Items/Parts subject to wear in the ordinary operation of the BARBER EQUIPMENT are specifically excluded from this Warranty.

H. BARBER & SONS, INC. neither assures or authorizes any person or other company to assure for H. BARBER & SONS, INC. any other obligation in connection with the sale of the BARBER EQUIPMENT.

H. BARBER & SONS, INC. SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES OF ANY KIND. H. BARBER & SONS, INC. WILL NOT BE RESPONSIBLE FOR TRAVEL EXPENSES OR RENTED EQUIPMENT.



Corporate Headquarters:

Maryland Heights

P.O. Box 2007
Maryland Heights, MO 63043-2007

(314) 298-8330
(800) 325-4323
Fax (314) 298-8376

Contact:

Steve Hyink, President / Sales & Marketing Manager (steve@keyequipment.com)
Refuse Equipment Specialist

St. Louis Branch:

Key Equipment & Supply Company

13507 Northwest Industrial Drive
Bridgeton, MO 63044-1245

Mary Hyink, Branch Manager

Aimee Huff, Accounting
Dana McCarthy, Accounts Receivables
Don O'Dell, Customer Service Manager
Craig Frost, Parts Manager
Marvin Theel, Parts Marketing
Jay Shelton, Parts Marketing
Tim Brand, Field Service Technician
Jim Bone, Territory Manager
Ed Stallons, Territory Manager
Zachary Scheetz, Territory Manager

(mary@keyequipment.com)
(ahuff@keyequipment.com)
(dmccarthey@keyequipment.com)
(service@keyequipment.com)
(parts@keyequipment.com)
(service@keyequipment.com)
(service@keyequipment.com)
(service@keyequipment.com)
(jbone@keyequipment.com)
(ed@keyequipment.com)
(zac@keyequipment.com)

Kansas City Branch:

Mailing Address
P.O. Box 11035
Kansas City, KS 66111

(913) 371-8260
(800) 262-0149
Fax: (877) 262-0149

Ship to:

Key Equipment & Supply Company

6716 Berger
Kansas City, KS 66111

Jeff Miles, Branch Manager

Sewer Equipment Specialist
Kelly Lane, Office Manager
Mike Lane, Customer Service Manager
Clint Mayes, Parts Marketing
Jeff Gibson, Parts Marketing
Jerry Woods, Service Manager
Tom Wyant, Territory Manager
Jeff Stacy, Territory Manager
Steve Williams, Territory Manager
Steve Simpson, Refuse Sales Specialist
Andy Westfall, Field Service Foreman

(jeff@keyequipment.com)
(kelly@keyequipment.com)
(mlane@keyequipment.com)
(clint@keyequipment.com)
(jgibson@keyequipment.com)
(jwoods@keyequipment.com)
(tomw@keyequipment.com)
(lstacy@keyequipment.com)
(stevew@keyequipment.com)
(ssimpson@keyequipment.com)
(awestfall@keyequipment.com)