DESIGN DESIGNATION

A.A.D.T. -2016 = 4932A.A.D.T. - 2036 = 6017 T = 18.4%V = RAMP

FUNCTIONAL CLASSIFICATION - INTERSTATE

NO NEW R/W WILL BE ACQUIRED ON THIS PROJECT.


CONVENTIONAL SYMBOLS

BUILDINGS AND STRUCTURES C==0 .00000 CONCRETE RIGHT-OF-WAY MARKER
STEEL RIGHT-OF-WAY MARKER
LOCATION SURVEY MARKER 0 UTILITIES --F-O--FIBER OPTICS OVERHEAD TELEPHONE UNDERGROUND TELEPHONE OVERHEAD POWER UNDERGROUND POWER WATER MANHOLE FIRE HYDRANT WATER VALVE WATER METER " DROP INLET DITCH BLOCK GROUND MOUNTED SIGN LIGHT POLE H-FRAME POWER POLE TELEPHONE PEDESTAL FENCE CHAIN LINK WOVEN WIRE GATE POST

BENCHMARK

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION PLANS FOR SLIDE REPAIR AT I-270 WB RAMP

ST. LOUIS COUNTY



THE RESPONSIBILITY FOR WATER QUALITY REQUIREMENTS WHEN AREAS OF GREATER THAN 1 ACRE ARE DISTURBED, AND WHEN THE DIFFERENTIAL RUNOFF IS GREATER THAN 2.0 CFS, WILL FALL UNDER MODOT'S PHASE II PERMIT.

NOT TO SCALE

DISCLAIMER THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL SEAL APPEAR HEREON ASSUMES RESPONSIBILITY ONLY FOR WHAT APPEARS ON THIS PAGE, AND DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO) SPECIFICATION, ESTIMATES, REPORTS, OR OTHER DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

INDEX OF SHEETS

DESCRIPTION	SHEET NUMBER
TITLE SHEET	- 1
TYPICAL SECTIONS (TS)	- 2
QUANTITIES (QU)	- 3
PLAN-PROFILE (PP)	- 4
TRAFFIC CONTROL SHEETS (TC)	- 5
TEMPORARY EROSION CONTROL (EC)	- 6



8/16/2016 -270 RP DISTRICT SL ST. LOUIS WRSL270C CONTRACT ID

NOT BE CONSIDERED A CERTIFIED


DOCUMENT. "

LENGTH OF PROJECT

APPROX. STA 2+57 BEGINNING OF PROJECT APPROX. STA 3+15 END OF PROJECT

SHE \vdash

NET LENGTH OF PROJECT 58 FEET STATE LENGTH 0.011 MILES



FOR HIGHWAY CONSTRUCTION SECTION 609.60.2.1 FOR ROCK FILL DETAILS.

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

8/16/2016 ROUTE I-270 RP STATE ST. LOUIS JOB NO. WRSL270C

SECTION 1 OF 1 TYPICAL SHEET

UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF THE PROJECT TO WHICH THIS PAGE REFERS.

W021-2	36X36	9.00				FRESH OIL			CCT TO WHICH THIS PAGE REFERS.
W021-5b	48X48	16.00	3	48.00		SHOULDER WORK AHEAD		. PRUJE	CO TO WHICH THIS PAGE REFERS.
W021-30	48X48	16.00		40.00		BLASTING ZONE AHEAD		T	г
							ITEM	TOTAL	DESCRIPTION
W022-2	42X36	10.50				TURN OFF 2-WAY RADIO AND PHONE	NUMBER	QTY	DESCRIPTION
W022-3	42X36	10.50				END BLASTING ZONE	6122008		IMPACT ATTENUATOR (8 SAND BARRELS)
W022-6e	21X15	2.19				WET PAINT (ARROW PIVOTS)	6122009		IMPACT ATTENUATOR (9 SAND BARRELS)
1					GUIDE S	GNS	6122010	 	IMPACT ATTENUATOR (10 SAND BARRELS)
SPECIAL	36X36	9.00				FRESH OIL/LOOSE GRAVEL	6122012	-	IMPACT ATTENUATOR (12 SAND BARRELS)
11									
E05-1	36X48	12.00				GORE EXIT	6122014	ļ	IMPACT ATTENUATOR (14 SAND BARRELS)
E05-2	48X36	12.00				EXIT OPEN	6122017		IMPACT ATTENUATOR (17 SAND BARRELS)
E05-2a	48X36	12.00				EXIT CLOSED	6122019		IMPACT ATTENUATOR (19 SAND BARRELS)
G020-1	60X24	10.00				ROAD WORK NEXT XX MILES	6122020		REPLACEMENT SAND BARREL
G020-2	48X24	8.00				END ROAD WORK	6122030		IMPACT ATTENUATOR (RELOCATION)
G020-4	36X18	4.50				PILOT CAR FOLLOW ME	6123000A		TRUCK OR TRAILER MOUNTED ATTENUATOR (TMA)
SPECIAL	42X30	8.75				PLEASE WAIT FOR PILOT CAR	6161007		SPEED LIMIT AND STROBE LIGHT ASSEMBLY
G020-5aP		6.00				WORK ZONE (PLAQUE)	6161008	12	ADVANCED WARNING RAIL SYSTEM
M04-8a	24X18	3.00				END DETOUR	6161009	4	FLAG ASSEMBLY
'							6161020	7	CHANNELIZER (DRUM-LIKE)
M04-9L	48X36	12.00				DETOUR (LEFT ARROW)			
M04-9R	48X36	12.00				DETOUR (RIGHT ARROW)	6161022	-	CHANNEL IZER (CONES)
M04-10L	48X18	6.00				DETOUR (ARROW LEFT)	6161024		CHANNELIZER (TRIM LINE) WITH LIGHT
M04-10R	48X18	6.00				DETOUR (ARROW RIGHT)	6161025	28	CHANNELIZER (TRIM LINE)
							6161026		CHANNELIZER (VERTICAL PANEL)
							6161027		CHANNELIZER (VERTICAL PANEL) WITH LIGHT
1							6161028		CHANNEL I ZER
							6161030		TYPE III MOVEABLE BARRICADERRALA
1							6161031		TYPE III MOVEABLE BARRICADE WITH WIGHT DIRECTION INDICATOR BARRICADE WITH WIGHT DIRECTION INDICATOR BARRICADE, WITH COUT
					REGULATORY	SIGNS	6161033	 	DIRECTION INDICATOR NECTION
R1-1	48X48	13.25				STOP	6161034		DIRECTION INDICATOR POR CADE WITH A TOUT
R1-2	48 TRI.	6.93				YIELD	<u> </u>	<u> </u>	ELACULAR APPOW DASCO : DADEN A
R1-2a	36X36	9.00				TO ONCOMING TRAFFIC (PLAQUE)	6161040	ļ	FLASHING ARROW PARELY BARRY M.
R1-3	20X9	1.25				X-WAY (PLAQUE)	6161047		TYPE 111 OBJECT MARKER BERGMAN :
R2-1	36X48	12.00				SPEED LIMIT XX	6161051		WARNING LIGHT, TAPIGA NUMBER
R3-1	-						6161052		INVINITION CIONITY INTERPOR
	48X48	16.00				NO RIGHT TURN (SYMBOL)	6161053		WARNING LIGHT, TYPE E-17887
R3-2	48X48	16.00				NO LEFT TURN (SYMBOL)	6161055		SEQUENTIAL FLASHING WARNING LITTLE
R3-3	36X36	9.00	: 			NO TURNS	6161070		SEQUENTIAL FLASH WONING LITTUBULAR MARKER RADAR SPEED ADVISORY STANDARD COMMISSION CHANGEABLE MESSAGE SIGN, COMMISSION
R3-4	48X48	16.00				NO U-TURN (SYMBOL)	6161095		RADAR SPEED ADVISORY SYSTEM
R3-7L	30X30	6.25		l :		LEFT LANE MUST TURN LEFT	6161096		CHANGEABLE MESSAGE SIGN, COMMISSION
R3-7R	30X30	6.25				RIGHT LANE MUST TURN RIGHT			FURNISHED/RETAINED
R4-1	36X48	12.00				DO NOT PASS	6161098A		CHANGEABLE MESSAGE SIGN WITHOUT
R4-2	36X48	12.00				PASS WITH CARE			COMMUNICATION INTERFACE, CONTRACTOR
R4-7aL	36X48	12.00				KEEP LEFT (HORIZONTAL ARROW)	····		FURNISHED/RETAINED
R4-7a	36X48	12.00		 		KEEP RIGHT (HORIZONTAL ARROW)		-	
I						·····	6161099		CHANGEABLE MESSAGE SIGN WITH
R5-1	30X30	6.25				DO NOT ENTER			COMMUNICATION INTERFACE, CONTRACTOR
R5-1a	36X24	6.00				WRONG WAY			FURNISHED/RETAINED
R6-1L	48X18	6.00				ONE WAY ARROW (LEFT)	6162000A		WORK ZONE TRAFFIC SIGNAL SYSTEM
R6-1R	48X18	6.00				ONE WAY ARROW (RIGHT)	6173600D		CONTRACTOR FURNISHED/RETAINED TEMPORARY
R6-2L	24X30	5.00				ONE WAY (LEFT)			TRAFFIC BARRIER
R6-2R	24X30	5.00				ONE WAY (RIGHT)	6173602B		CONTRACTOR FURNISHED/COMMISSION RETAINED
R10-6	24X36	6.00				STOP HERE ON RED (45° ARROW)			TEMPORARY TRAFFIC BARRIER
R11-2	48X30	10.00				ROAD CLOSED	6174000A		TEMPORARY TRAFFIC BARRIER HEIGHT
11									TRANSITION
R11-3a	60X30	12.50				ROAD CLOSED XX MILES AHEAD LOCAL TRAFFIC ONLY	6175010A		RELOCATING TEMPORARY TRAFFIC
II									BARRIER
R11-4	60X30	12.50				ROAD CLOSED TO THRU TRAFFIC	6176000B		COMMISSION FURNISHED/RETAINED TEMPORARY
S4-4	36X15	3.75				WHEN FLASHING			TRAFFIC BARRIER
CONST-3A	60X48	20.00				FINE SIGN	6177000B		COMMISSION FURNISHED/RETAINED TEMPORARY
CONST-3X	56X12	4.67				SPEEDING/PASSING (PLATE)			TRAFFIC BARRIER HEIGHT TRANSITION
							9019400		TEMPORARY LIGHTING
				147	SCELLANEOU	IC CICNC	9029400		TEMPORARY TRAFFIC SIGNALS
				M I	SCELLANEUL		9029401		TEMPORARY TRAFFIC SIGNALS AND LIGHTING
SPECIAL	36X48	12.00				POINT OF PRESENCE			
SPECIAL	96X48	32.00				POINT OF PRESENCE			
CONST-7-48	48X24	8.00				RATE OUR WORK ZONE		 	
CONST-7-72	72Y36	18 00				BATE OUR WORK ZONE			

DESCRIPTION

2 RIGHT/CENTER/LEFT LANES CLOSED

RIGHT/CENTER/LEFT LANE CLOSED

FLAGGER (SYMBOL) WITH FLAGS

TOTAL QTY RELOC AREA

TOTAL QTY RELOC AREA

WARNING SIGNS

DESCRIPTION

TURN (SYMBOL LEFT ARROW)

TURN (SYMBOL RIGHT ARROW)

CURVE (SYMBOL LEFT ARROW)

LEFT ARROWS)

RIGHT ARROWS)

LEFT ARROWS)

RIGHT ARROWS)

BARRICADE)

CURVE (SYMBOL RIGHT ARROW)

REVERSE TURN (SYMBOL LEFT ARROW)

REVERSE TURN (SYMBOL RIGHT ARROW)

REVERSE CURVE (SYMBOL LEFT ARROW)

REVERSE CURVE (SYMBOL RIGHT ARROW)

DOUBLE ARROW REVERSE CURVE (SYMBOL

DOUBLE ARROW REVERSE CURVE (SYMBOL

TRIPLE ARROW REVERSE CURVE (SYMBOL

TRIPLE ARROW REVERSE CURVE (SYMBOL

HORIZONTAL ARROW (SYMBOL ON PERMANENT

DOUBLE HEAD HORIZONTAL ARROW (SYMBOL)

DOUBLE HEAD HORIZONTAL ARROW (SYMBOL ON

CHEVRON (SYMBOL FOR DIVIDED HIGHWAYS)

HORIZONTAL ARROW (SYMBOL)

PERMANENT BARRICADE) CHEVRON (SYMBOL)

STOP AHEAD (SYMBOL)

YIELD AHEAD (SYMBOL SIGNAL AHEAD (SYMBOL)

BE PREPARED TO STOP

MERGE (SYMBOL FROM LEFT)

MERGE (SYMBOL FROM RIGHT)

ROAD/BRIDGE/RAMP NARROWS

DIVIDED HIGHWAY (SYMBOL)

TWO WAY TRAFFIC (SYMBOL)

SLIPPERY WHEN WET (SYMBOL)

TRUCK CROSSING WITH FLAGS

DOUBLE DOWN ARROW (SYMBOL)

SHOULDER DROP-OFF (SYMBOL)

SHOULDER DROP-OFF (PLAQUE)

ADVISORY SPEED (PLAQUE)

ROAD/BRIDGE/RAMP WORK AHEAD

XXX FEET (PLAQUE)

ROAD CLOSED AHEAD

ONE LANE ROAD AHEAD

X MILE (PLAQUE)

DETOUR AHEAD

OVERHEAD LOW CLEARANCE (FEET AND

LOW CLEARANCE XX FT XX IN XX MILES

RIGHT/CENTER/LEFT LANE CLOSED AHEAD

WIDTH RESTRICTION XX FT XX IN XX MILES

LOW CLEARANCE (SYMBOL)

I OW CLEARANCE (PLACUE)

NEXT XX MILES (PLAQUE)

DIVIDED HIGHWAY END (SYMBOL)

SPEED LIMIT AHEAD

ONE LANE BRIDGE

NARROW LANES

PAVEMENT ENDS

SOFT SHOULDER

TRUCK ENTRANCE

LOOSE GRAVEL

LOW SHOULDER

UNEVEN LANES

NO CENTER LINE

RAILROAD CROSSING

GROOVED PAVEMENT

AHEAD

MOTORCYCLE (PLAQUE)

BUMP

SIGN

W020-5a

V020-6a

SIZE

48X48

48X48

ONST-7-72 72X36 18.00

ONSTRUCTION SIGNS TOTAL

SIGNS TOTAL

16-10.05

16-10.10

W020-7a 48X48 16.00

AREA

16.00

QTY

AREA QTY

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

12.50

18.00

12.50

18.00

3.00

7.50

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

5.00

16.00

16.00

16.00

16.00

16.00

16.00

16.00

9.00

16.00

16.00

16.00

9.62

4.00

16.00

3.00

14.00

16.00

5.00

16.00

5.00

50.00

50.00

6.25

5.00

5.00

16.00

16.00

16.00

16.00

64.00

48.00

SIGN

WO1-11

W01-2R

WO1-3L

01-3R

VO1-4L

WO1-4R

W01-4bL

WO1-4bR

WD1-4cL

W01-4cR

WO1-6

W01-6a

NO1-7

WO1-8

WO3-2

WO3-3

WO3-4

WO3-5

WO4-1L

WO4-1R

WO5-1

WO5-3

WO5-5

W06-1

W06-2

WO6-3

W07-30

WO8-1

VO8-2

WO8-3

W∩8 –4

WO8-5

W08-6

WO8-6c

WO8-7

VO8-9

WO8-11

WO8-12

W10-1

WO12-1

WO12-2

WD12-2x

W012-2a

W08-15

W08-15p

WO8-17

WO8-17p

SPECIAL

SPECIAL

W∩13-1

WO16-2

VD16-3

WO20-1

WD20-2

W020-3

WO20-4

WO20-5

W01-8a WO3-1

W01-7a

SIZE

48X48

60X30

72X36

60X30

72X36

18X24

30X36

48X48

30X24

48X48

48X48

48X48

48X48

48X48

48X48

48X48

36X36

48X48

48X48

48X48

42 RND.

24X24

48X48

24X18

84X24

48X48

30X24

48X48

30X24

120X60

120X60

30X30

30X24

30X24

48X48

48X48

48X48

48X48

48X48 | 16.00

**INDICATES ITEM NOT INCLUDED IN TEMPORARY TRAFFIC CONTROL LUMP SUM BID ITEM.

RATE OUR WORK ZONE

*NOTE: TRAFFIC CONTROL DEVICES SHALL BE PAID FOR AS LUMP SUM.

*NOTE: NO DIRECT PAYMENT SHALL BE MADE TO

RELOCATE OR COVER/UNCOVER EXISTING OR TCP SIGNS.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

SUMMARY OF QUANTITIES


EARTHWORK *									
PLAN SHEET NO.	STATION	CLASS A EXCAVATION	COMPACTING EMBANKMENT	FURNISHING ROCK FILL	PLACING ROCK FILL	GEOTEXTILE (SEPARATION)	INSTALL 60" CHAIN-LINK FENCE		
		(CU YD)	(CU YD)	(CU YD)	(CU YD)	(SQ YD)	(LF)		
2	2+57 TO 3+15	626.0	626.0	93.6	93.6	488.6	80.0		
j+1	SUBTOTAL	626.0	626.0	93.6	93.6	488.6	80.0		
	TOTAL	626.0	626.0	94.0	94.0	489.0	80.0		



MOBILIZATION
PAY TOTAL 1 LUMP SUM

TRAFFIC CONTROL
PAY TOTAL 1 LUMP SUM

COOL SEASON SEED WITH TYPE 1
EROSION CONTROL BLANKET
PAY TOTAL 1 LUMP SUM



8/16/2016
ROUTE 1-270 RP MO
DISTRICT SHEET NO.
SL 3

COUNTY
ST. LOUIS
JOB NO.
WRSL27OC
CONTRACT ID.

PROJECT NO.

BRIDGE NO.

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE DESCRIPTION

ISSOUR! HIGHWAYS AND TRANSPORTATIO
COMMISSION

105 WEST CAPITO
JEFFERSON CITY, MO 6510

WE MISSE

BERGMAN & NUMBER E-17867

SHEET 2 OF 3 QUANTITY SUMMARY SHEE⁻

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE, AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION, ESTIMATES, REPORTS, OR OTHER
DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE
UNDERSIGNED PROFESSIONAL RELATING TO OR
INTENDED TO BE USED FOR ANY PART OR PARTS OF

THE PROJECT TO WHICH THIS PAGE REFERS.

* STATIONS ARE APPROXIMATE. QUANTITIES BASED ON EXCAVATED AREA OF 17' BACKSIDE HEIGHT, 34.2' BASE, A SLIDE FACE OF 54', AND A REPAIR LENGTH OF 58'. THESE DIMENSIONS MAY BE INCREASED OR DECREASED BY THE ENGINEER BASED ON THE FIELD CONDITIONS. ADDITIONS OR DEDUCTIONS TO PLAN QUANTITIES WILL BE MADE AT THE CONTRACT UNIT PRICE.

MISSOURI HIGHWAYS AND TRANSPORTATION COMMISSION

SUMMARY OF QUANTITIES

REMOVAL OF IMPROVEMENTS							
PLAN SHEET	ROADWAY	LOCATION	STATION	STATION	DESCRIPTION		
4	I-270 WB RAMP	RT	2+39	3+19	REMOVE APPROX. 80' OF DAMAGED 60" CHAIN-LINK FENCE		
				PAY TOTAL	1 LUMP SUM		

	TEMPORARY EROSION CONTROL *							
PLAN	STATION	SEDIMENT	SILT	TYPE II				
SHEET		REMOVAL	FENCE	DITCH				
NO.				CHECK				
		(CU YD)	(LF)	(LF)				
6	1+00 TO 3+28	7.0	80.0	64.0				
	SUBTOTAL	7.0	80.0	64.0				
	TOTAL	7.0	80.0	64.0				

DISCLAIMER
THE PROFESSIONAL WHOSE SIGNATURE AND PERSONAL
SEAL APPEAR HEREON ASSUMES RESPONSIBILITY
ONLY FOR WHAT APPEARS ON THIS PAGE, AND
DISCLAIMS (PURSUANT TO SECTION 327.411 RSMO)
SPECIFICATION, ESTIMATES, REPORTS, OR OTHER

DOCUMENTS OR INSTRUMENTS NOT SEALED BY THE

UNDERSIGNED PROFESSIONAL RELATING TO OR INTENDED TO BE USED FOR ANY PART OR PARTS OF

THE PROJECT TO WHICH THIS PAGE REFERS.

** STATIONS ARE APPROXIMATE. QUANTITIES BASED ON EXCAVATED AREA OF 17' BACKSIDE HEIGHT, 34.2' BASE, A SLIDE FACE OF 54', AND A REPAIR LENGTH OF 58'. THESE DIMENSIONS MAY BE INCREASED OR DECREASED BY THE ENGINEER BASED ON THE FIELD CONDITIONS. ADDITIONS OR DEDUCTIONS TO PLAN QUANTITIES WILL BE MADE AT THE CONTRACT UNIT PRICE.

"THIS MEDIA SHOULD NOT BE CONSIDERED A CERTIFIED DOCUMENT."

DATE PREPARED

8/16/2016

ROUTE STATE

1-270 RP MO

DISTRICT SHEET NO.

SL 3

COUNTY

ST. LOUIS

JOB NO.

WRSL270C

CONTRACT ID.

PROJECT NO.

BRIDGE NO.

DESCRIPTION

MISSOURI HIGHWAYS AND TRANSPORTATIO COMMISSION

MODOT

105 WEST CAPITO

BERGMAN NUMBER

E-17867

SHEET 3 OF 3 QUANTITY SUMMARY SHEET

