

KNAPHEIDE KUV_{cc}


The style and function of a KUV, designed for a cab chassis—the KUV_{cc} is built to get the job done.

Providing both enclosed cargo and internal compartment storage, the KUV_{cc} gives you the most efficient and secure storage possible.

Get the use of a truck and function of a KUV all in one with the KUV_{cc}.

STANDARD FEATURES

- A Double panel rear cargo doors lock and seal into the body frame. These 20 gauge galvanized steel doors have nitrogen gas struts, slam latches, and 9"x30" glass windows with guards.
- B Two conduit chutes to transport copper pipes, PVC, and conduit
- C Master Locking System for peace of mind, locks down all of the side compartments in one move
- D Bodies include 250 lb. capacity adjustable divider shelves made of rugged spangled galvanized steel. Divider slots are present on 4" centers. These shelves are covered through Knapheide's six year warranty.
- E Double spring over-center retainer on all vertical doors eliminates involuntary swing and keeps the door in positive open or closed position. This efficient design works in all temperatures and conditions.
- F Thick automotive bulb-type neoprene door seals protect compartments from the weather




*Body may be shown with optional features

- G Continuous stainless steel hinge for unmatched security and corrosion resistance, backed by Knapheide's six year warranty
- H Double-shell, 20 gauge, two-sided A-40 galvanized steel compartment doors with internal reinforcements for durability and long life
- I Refined, automotive quality, paddle activated rotary style latches make opening and closing easy. Low maintenance and stylish, the latches are covered under Knapheide's six year warranty. Interior covers secure the latch to the door and protects latch mechanisms from being damaged.
- J Rugged 14 gauge two-sided A-40 galvanized steel body shell with a six year warranty. Complete undercoating provides an additional layer of corrosion protection.

- K Complete immersion in Knapheide's electrodeposition prime paint system for superior corrosion resistance
- L Flat panel space provides rolling billboard to promote business
- M Two interior dome lights in cargo area for improved visibility in low light conditions, light switch located inside rear cargo area
- N Spacious cargo area for transporting oversized tools and equipment

Other features (not pictured):




- Interior light guards provide protection for recessed lighting and wiring package
- All compartments can be locked independently for maximum security



84" CA DUAL REAR WHEEL

Model	Body Length	Body Height (H)	Body Width	Compartment Depth	Clear Door Width	Clear Door Height	Interior Clear Height	Body Weight
KC132L2094J	133.25"	68"	94"	20"	49.5"	41.1"	51.1"	2,506 lbs.
KC132M2094J	133.25"	78"	94"	20"	49.5"	50.5"	61.1"	2,532 lbs.
KC132H2094J	133.25"	90"	94"	20"	49.5"	63.1"	73.1"	2,652 lbs.

Applicable Chassis	Cab	Wheelbase	GVWR
3500	Regular	167.5"	12,500/13,000 lbs.
4500	Regular	168.5"	15,000/16,500 lbs.
4500	Crew	197.4"	15,000/16,500 lbs.
5500	Regular	168.5"	19,500 lbs.
5500	Crew	197.4"	19,500 lbs.



DISTRIBUTOR NET PRICES
EFFECTIVE: AUGUST 8, 2014

THE KNAPHEIDE MANUFACTURING COMPANY
1848 Westphalia Strasse, P.O. Box 7140
Quincy, IL 62305-7140 U.S.A.
Phone (217) 222-7131 • Fax (800) 654-8997



KC SERIES BODIES FOR CONVENTIONAL CAB CHASSIS

Model	Net Price	CA	Applicable Chassis	Dimensions				Clear Door Width	Clear Door Height	Interior Clear Height	Net Weight (lbs)
				Body Length (Nom.)	Body Height	Body Width	Comp. Depth				
SRW MODELS											
KC96U1478J		56"	Ford F-350 over 10,000 pounds GVWR GM C/K up to 2010 (4x2 only), 2011 GM(4x2 or 4x4) 2003 and later Dodge	97.25"	62"	78"	14.5"	44.5"	38.1"	45.1"	1571
KC96L1478J					68"				41.1"	51.1"	1691
KC96M1478J					78"				50.5"	61.1"	1714
KC108U1478J		60"	Ford F-350 over 10,000 pounds GVWR 07 & Later Dodge chassis cab	107.25"	62"	78"	14.5"	44.5"	38.1"	45.1"	1592
KC108L1478J					68"				41.1"	51.1"	1717
KC108M1478J					78"				50.5"	61.1"	1743
DRW MODELS											
KC96U2094J		56"	Ford F-350 GM C/K series 08 Dodge chassis cab 2011 & Later 4x4 Ram	97.25"	62"	94"	20"	49.5"	38.1"	45.1"	1686
KC96L2094J					68"				41.1"	51.1"	1824
KC96M2094J					78"				50.5"	61.1"	1847
KC96H2094J					90"				63.1"	73.1"	1965
KC108L2089J		60"	GM C/K series	107.25"	68"	89"	20"	44.5"	41.1"	51.1"	1964
KC108M2089J					78"				50.5"	61.1"	1990
KC108H2089J					90"				63.1"	73.1"	2111
KC108L2094J		60"	Ford F-350/450/550 07 & Later Dodge chassis cab	107.25"	68"	94"	20"	49.5"	41.1"	51.1"	2026
KC108M2094J					78"				50.5"	61.1"	2045
KC108H2094J					90"				63.1"	73.1"	2365
KC132L2089J		84"	GM C/K series	133.25"	68"	89"	20"	44.5"	41.1"	51.1"	2369
KC132M2089J					78"				50.5"	61.1"	2401
KC132H2089J					90"				63.1"	73.1"	2531
KC132L2094J		84"	Ford F-350/450/550 07 & Later Dodge chassis cab	133.25"	68"	94"	20"	49.5"	41.1"	51.1"	2439
KC132M2094J					78"				50.5"	61.1"	2465
KC132H2094J					90"				63.1"	73.1"	2585

Units are assembled and have prime paint exterior. Interior is painted light gray. To order bumper refer to the service body option section, page 5. See option fit option section for Supplemental Mounting Kit applications.

Use of KC series bodies on medium duty chassis applications may require modification for tire clearance.

Prices include the following standard features:

- Two (2) adjustable divider shelves, street and curb side front vertical compartments (all compartments ahead of horizontal)
- One (1) adjustable divider shelf, street and curb side rear vertical compartments (all compartments behind horizontal)
- One (1) adjustable divider shelf, curb side horizontal compartment
- Two (2) full length shelves each side in interior of body on L, M and H models (one on top of compartment and one fixed shelf in roof). One (1) full length shelf each side in interior of body on U models (on top of compartment).
- Rivetless rotary alarm latches on all side doors with double spring over center door retainers on all vertical doors.
- Double panel Galvanneal rear doors with rivetless latch and glass windows with guards. Windows are 9" x 30" on all M and H models that are 94 inches wide, and windows are 7" x 24" on all other models
- Two (2) rear access doors with rivetless latches on upper roof structure
- 9" x 30" glass window in front bulkhead
- Master Locks installed on both sides and Grab handle at right rear in cargo area
- Complete flush mounted light kit with all required lights and 2 interior dome lights (all light holes pre punched). A rear CHMSL light is included with all SRW models.
- One (1) mounting kit, Knapheide Quick Mount brackets and hardware, designed to comply with FMVSS-301.

DISTRIBUTOR NET PRICES
EFFECTIVE: FEBRUARY 17, 2014

THE KNAPHEIDE MANUFACTURING COMPANY
1848 Westphalia Strasse, P.O. Box 7140
Quincy, IL 62305-7140 U.S.A.
Phone (217) 222-7131 • Fax (800) 654-8997




SERVICE BODY OPTION

CTECH DRAWER UNITS

CTECH DRAWER UNITS ARE CONSTRUCTED FROM ALUMINUM AND HAVE COMPOSITE LATCHES. DRAWER FRONTS ARE POWER COATED RED. DRAWERS ARE FULL EXTENSION ON BALL BEARING SLIDES AND RATED AT 250 LBS. DRAWER UNITS INCLUDE MOUNTING HARDWARE AND INSTALLATION INSTRUCTIONS.

Part Number	DESCRIPTION	DRAWERS	Size			Wt (lbs)	Price
			W	H	D		
20192480	LOOSE, KIT DR UNIT (4-3")		24.0	13.8	12.0	50.2	
20192498	LOOSE, KIT DR UNIT (3-3")		24.0	10.8	12.0	40	
20192506	LOOSE, KIT DR UNIT (2-3")		42.0	11.8	12.0	40.8	
20192514	LOOSE, KIT DR UNIT (3-3", 2-5", 1-7")		28.0	29.8	17.5	119.5	
20192522	LOOSE, KIT DR UNIT (2-3", 1-5", 1-7")		28.0	21.8	17.5	84.3	
20192530	LOOSE, KIT DR UNIT (2-3")		42.0	11.8	17.5	56.4	
20192548	LOOSE, KIT DR UNIT (4-3", 1-5", 1-7")		20.0	27.8	17.5	94.4	
20192555	LOOSE, KIT DR UNIT (2-3", 1-5", 1-7")		20.0	21.8	17.5	68.8	
20192589	LOOSE, KIT DR UNIT (2-3")		50.0	11.8	17.5	63.9	
20192597	LOOSE, KIT DR UNIT (4-3", 1-5", 1-7")		18.0	27.8	17.5	89	
20192605	LOOSE, KIT DR UNIT (2-3", 1-5", 1-7")		18.0	21.8	17.5	65	

NOTE: DRAWER UNITS ABOVE HAVE DRAWER LINERS ONLY. DIVIDERS AND SEPARATORS ARE ORDERED SEPARATELY BELOW



CTECH DRAWER DIVIDERS

CTECH DRAWER UNIT DIVIDERS FOR USE IN CTECH DRAWERS. SETS INCLUDE A DIVIDER AND FOUR SEPARATORS. SEPARATORS ARE ADJUSTABLE IN 2" INCREMENTS. AVAILABLE IN 3" AND 5" HEIGHT ONLY.

Part Number	DESCRIPTION	DRAWER	Size	Wt	Price
			INSIDE DIMENSION	(lbs)	
12212239	LOOSE, DIVIDER SET 3"	24.0 X 12.0	19.56 X 9.62	0.9	
12212247	LOOSE, DIVIDER SET 3"	42.0 X 12.0	37.56 X 9.67	1.4	
12212254	LOOSE, DIVIDER SET 3"	28.0 X 17.5	23.56 X 15.17	1.1	
12212262	LOOSE, DIVIDER SET 5"	28.0 X 17.5	23.56 X 15.17	2	
12212270	LOOSE, DIVIDER SET 3"	42.0 X 17.5	37.56 X 15.17	1.5	
12212288	LOOSE, DIVIDER SET 3"	20.0 X 17.5	15.56 X 15.17	0.9	
12212296	LOOSE, DIVIDER SET 5"	20.0 X 17.5	15.56 X 15.17	1.5	
12212304	LOOSE, DIVIDER SET 3"	50.0 X 17.5	45.56 X 15.17	1.8	
12212312	LOOSE, DIVIDER SET 3"	18.0 X 17.5	13.56 X 15.17	0.8	
12212320	LOOSE, DIVIDER SET 5"	18.0 X 17.5	13.56 X 15.17	1.4	


EACH DIVIDER SET INCLUDES ONE CENTER DIVIDER PLUS FOUR SEPARATORS.

DIVIDERS DIVIDE THE DRAWER WIDTH INTO TWO EQUAL SECTIONS.

SEPARATORS ARE ADJUSTABLE IN 2" INCREMENTS.

NOTE: 7" DRAWERS DO NOT ACCEPT DIVIDER SETS.

12212353	LOOSE, KIT RISER FOR 696J FRONT COMPARTMENT	2.8
----------	---	-----



Prices are FOB Quincy and subject to change without notice.

Information on this page may not be reproduced without the express and written consent of the Knapheide Mfg. Co.

SERVICE BODY OPTIONS
Page 126

DISTRIBUTOR NET PRICES
EFFECTIVE: JANUARY 16, 2015

THE KNAPHEIDE MANUFACTURING COMPANY
1848 Westphalia Strasse, P.O. Box 7140
Quincy, IL 62305-7140 U.S.A.
Phone (217) 222-7131 • Fax (600) 654-9997




SERVICE BODY OPTION

GALVA - GRIP STEP BUMPERS

GALVA-GRIP STEP BUMPERS ARE AVAILABLE FOR KUV AND KC SERIES BODIES AND SERVICE BODIES ON 2007 AND LATER 60" AND 84" CA. 12 GA. GALVANNEAL MATERIAL PROVIDES SUPERIOR CORROSION RESISTANCE AND ENHANCED PAINT ADHESION "GRIP THREAD" EXPELS MUD AND PROVIDES BETTER SLIP PROTECTION THAN TREADPLATE. KUV/KC/KSV STEP BUMPERS HAVE WELD STUDS ON THE BACK OF THE KICK PLATES THAT ALIGN WITH THE PRE-PUNCHED HOLES IN THE KUV/KC/KSV BODY. SERVICE BODY STEP BUMPERS HAVE THE PRE-PUNCHED HOLES IN THE KICK PLATE. STEP BUMPERS FOR 60" CA DODGE HAVE A 2" OFFSET IN THE KICK PLATE. WEIGHTS AND DIMENSIONS ARE SHOWN BELOW. AVAILABLE LOOSE ONLY IN PRIME PAINT.


OPTION NO.	A	B	C	WEIGHT
26052258	82.62	10.5	9.38	56
26052259	82.62	10.5	9.38	57
26052274	77.62	8.88	13.12	58
26052282	82.62	8.88	13.12	59
26052290	83.62	8.88	13.12	64
26052508	88.62	8.88	13.12	59
26052308	93.62	8.88	13.12	67
26052787	77.62	8.88	13.12	77
26052795	93.62	8.88	13.12	92
26052781	77.62	8.88	13.12	77
26052778	93.62	8.88	13.12	92
26052753	93.62	8.88	13.12	87



TREADPLATE STEP BUMPERS

TREADPLATE STEP BUMPERS ARE AVAILABLE FOR KUV AND KC SERIES BODIES AND SERVICE BODIES ON 2007 AND LATER 60" AND 84" CA. 18" TREADPLATE MATERIAL PROVIDES SLIP RESISTANCE. KUV/KC STEP BUMPERS HAVE WELD STUDS ON THE BACK OF THE KICK PLATES THAT ALIGN WITH THE PRE-PUNCHED HOLES ON THE KUV/KC BODY. SERVICE BODY STEP BUMPERS HAVE PUNCHED HOLES IN THE KICK PLATE. STEP BUMPERS FOR 60" CA DODGE HAVE A 2" OFFSET IN THE KICK PLATE. WEIGHTS AND DIMENSIONS ARE SHOWN BELOW. AVAILABLE LOOSE ONLY IN PRIME PAINT.

OPTION NO.	A	B	C	WEIGHT
26052464	83.00	10.5	9.38	100
26052472	94.00	10.5	9.38	106
26052365	77.62	8.88	13.12	83
26052373	82.62	8.88	13.12	90
26052381	88.62	8.88	13.12	95
26052389	93.62	8.88	13.12	102
26052902	77.62	8.88	13.12	87
26052894	93.62	8.88	13.12	106
26052886	77.62	8.88	13.12	87
26052878	93.62	8.88	13.12	105
26052860	93.62	8.88	13.12	88



Option No.	APPLICATION	PRICE
26052258	LOOSE, 63" GALVA GRIP-STEP BUMPER FOR SRW KUV	
26217034	LOOSE, 94" GIG STEP BUMPER FOR GM G-4500 KUV BODIES	
26052268	LOOSE, 84" GALVA GRIP-STEP BUMPER FOR DRW KUV	
26055421	LOOSE, 83" GALVA GRIP-STEP BUMPER FOR SRW LFT-LRP	
26052274	LOOSE, 78" SRW KC EXCEPT 2007 & LATER DODGE 60" CA	
26052282	LOOSE, 83" GALVA-GRIP STEP BUMPER FOR DRW KC BODIES	
26052290	LOOSE, 88" GALVA-GRIP STEP BUMPER FOR DRW KC BODIES	
26052308	LOOSE, 89" GIG STEP BUMPER FOR GM-W SERIES KC BODIES	
26052309	LOOSE, 94" DRW KC EXCEPT 2007 & LATER DODGE 60" CA	
26052787	LOOSE, 78" 2007 & LATER DODGE 60" CA SRW W/ KC ONLY	
26052785	LOOSE, 84" 2007 & LATER DODGE 60" CA DRW W/ KC ONLY	
26052781	LOOSE, 78" 2007 & LATER DODGE 60" CA SRW W/UB ONLY	
26052779	LOOSE, 84" 2007 & LATER DODGE 60" CA DRW W/UB ONLY	
26052753	LOOSE, 94" 2007 & LATER DODGE 84" CA DRW W/UB	

Option No.	APPLICATION	PRICE
26052464	LOOSE, 83" TREADPLATE STEP BUMPER FOR SRW KUV	
26052472	LOOSE, 94" TREADPLATE STEP BUMPER FOR DRW KUV	
26052365	LOOSE, 78" SRW KC EXCEPT 2007 & LATER DODGE 60" CA	
26052373	LOOSE, 83" TREADPLATE STEP BUMPER FOR DRW KC BODIES	
26052381	LOOSE, 88" TREADPLATE STEP BUMPER FOR DRW KC BODIES	
26052389	LOOSE, 89" TREADPLATE STEP BUMPER FOR GM-W SERIES KC BODIES	
26052522	LOOSE, 94" DRW KC EXCEPT 2007 & LATER DODGE 60" CA	
26052802	LOOSE, 78" 2007 & LATER DODGE 60" CA SRW W/ KC ONLY	
26052894	LOOSE, 84" 2007 & LATER DODGE 60" CA DRW W/ KC ONLY	
26052886	LOOSE, 78" 2007 & LATER DODGE 60" CA SRW W/UB ONLY	
26052878	LOOSE, 84" 2007 & LATER DODGE 60" CA DRW W/UB ONLY	
26052860	LOOSE, 94" 2007 & LATER DODGE 84" CA DRW W/UB ONLY	

Prices are FOB Quincy and subject to change without notice.

Information on this page may not be reproduced without the express and written consent of the Knapheide Mfg. Co.