



# TRAIL-EZE®

1909 South Rowley - Mitchell, SD 57301

1-800-232-5682 - FAX 1-605-996-5572

[www.traileze.com](http://www.traileze.com)

DATE: 7/1/2015

SALES PERSON: JASON HUMPAL

QUOTE: JLH 0094bA

JOB#

PO#:

SO#:

<b>S O L D  T O</b>	<b>NAME:</b>	CSH TRAILERS		<b>S H I P  T O</b>	<b>NAME:</b>	MISSOURI DOT			
	<b>ADDR:</b>	26 COUNTY 511			<b>ADDR:</b>	PO Box 270			
	<b>CITY:</b>	WESTPHALIA			<b>CITY:</b>	JEFFERSON CITY			
	<b>STATE:</b>	MO	<b>ZIP:</b>		65085	<b>STATE:</b>	MO	<b>ZIP:</b>	65102
	<b>ATTN:</b>	STAN HECKMAN			<b>ATTN:</b>	TOM VEASMAN			
	<b>PHONE:</b>	573-455-2998			<b>PHONE:</b>	573-522-4404			
	<b>FAX:</b>				<b>FAX:</b>				
<b>MODEL:</b>		TE401		40,000# PAYLOAD / 20 TON SLIDE AXLE / PINTLE HITCH					
<b>OVERALL LENGTH:</b>		36'		36' OVERALL LENGTH / 401 w/30' MAIN BED & OPT 6' TONGUE					
<b>WIDTH:</b>		102"							
<b>SPECIFIC LOCATION:</b>		NONE							
<b>CROSS MEMBERS:</b>		401 / 501 - 4" JR'S ON 12" CENTERS							
<b>TONGUE LENGTH:</b>		6'							
<b>LANDING GEAR:</b>		2 SPEED							
<b>WINCH:</b>		12,000# BRADEN							
<b>WINCH LOCATION:</b>		FRONT OF MAIN DECK							
<b>AIR SHIFT:</b>		NO		<b>WINCH GUARD:</b>	NO		<b>CABLE ROLLER:</b>	NO	
<b>CABLE LENGTH:</b>		60'		1/2" Ø CABLE					
<b>REMOTE TYPE:</b>		NO REMOTE		COMES WITH CORD TYPE REMOTE (WINCH IN/OUT)					
<b>5TH WHEEL HEIGHT:</b>		-		<b>KING PIN SETTING:</b>	-		<b>SWING CLEARANCE:</b>		
<b>DECK MATERIAL:</b>		OAK 1.5"		<b>DECKING:</b>		FLUSH			
<b># OF AXLES:</b>		2							
<b>AXLE SPACING:</b>		49"							
<b>AXLE SIZE:</b>		SEE BELOW							
<b>AXLE TRACK:</b>		69 1/2"							
<b>ABS:</b>		2S/1M		<b>BRAKES:</b>		12 1/4" x 7 1/2"			
<b>SUSPENSION:</b>		SPRING		<b>DUMP VALVE:</b>		NO			
<b>TIRE SIZE:</b>		235/75R17.5		<b>TIRE BRAND:</b>		DOUBLE COIN			
<b>INNER WHEEL:</b>		6.75 x 17.5 HP STEEL							
<b>OUTER WHEEL:</b>		6.75 x 17.5 HP STEEL							
<b>LIGHTS:</b>		LED							
<b>ADD'L LIGHTS:</b>		NO							
<b>APPROACH PLATE:</b>		1/2" PLATE		18 1/2" WIDE APPROACH PLATE STANDARD					
<b>TIEDOWNS:</b>		RUBRAIL W/ STAKE POCKET 24" OC							
<b>PAINT:</b>		MIDNIGHT BLACK-STANDARD		IG-9230 / 100-797					
<b>ADD'L OPTIONS:</b>		PINTLE HITCH ADJUSTABLE 6" UP AND DOWN							
<b>ADD'L OPTIONS:</b>		CYLINDERS: 1 TILTING CYLINDER, 1 SLIDING CYLINDER							
<b>ADD'L OPTIONS:</b>		HYDRAULIC KIT: SET TO RUN OFF PTO (WET KIT NOT INCLUDED)							
<b>ADD'L OPTIONS:</b>		STEEL OVER WHEEL AREA							
<b>ADD'L OPTIONS:</b>		25000# axles							
<b>ADD'L OPTIONS:</b>		OPTIONAL: 2 FUNCTION WIRELESS REMOTE: WINCH Only \$538							
<b>ADD'L OPTIONS:</b>		OPTIONAL: 6 FUNCTION WIRELESS REMOTE: (Winch, slide axle, & bed tilt): \$1511							
<b>ADD'L OPTIONS:</b>		OPTIONAL: CAT'S EYES -2 AXLE: \$324							
<b>LIMITED WARRANTY:**A COPY IS AVAILABLE UPON REQUEST FROM THE FACTORY.**</b>									
<b>WILL SHIP:</b> 140 Days from Signed Purchase Order				<b>TOTAL RETAIL PRICE</b>					
<b>SIGNATURE:</b>				<b>DATE:</b>		<b>TRAILER NET</b>		\$ 39,490	
						<b>FREIGHT</b>			
<small>PROMISE DATE WILL CHANGE IF AN APPROVED PRINT, SIGNED ORDER, AND DOWN PAYMENT ARE NOT RECEIVED BY DESIGNATED DATE, ANY CUSTOMER INITIATED CHANGE ORDERS EXTEND PURCHASING OR PRODUCTION TIME, OR IF THERE IS A CHANGE IN CUSTOMER CREDIT STATUS. ALL ORDERS AND PAYMENT TERMS ARE SUBJECT TO CREDIT APPROVAL. FET IS CALCULATED ON THE SELLING PRICE TO A NON-EXEMPT END USER. ALL STANDARD UNITS REQUIRE A 10% NON-REFUNDABLE DOWN PAYMENT. ALL NON-STANDARD UNITS REQUIRE A 30% NON-REFUNDABLE DOWN PAYMENT.</small>						<b>FEDERAL EXCISE TAX</b>		EXEMPT	
						<b>TOTAL COST OF TRAILER</b>		\$ 39,490	
						<b>LESS DOWN PAYMENT</b>			
						<b>LESS TRADE</b>			
						<b>BALANCE</b>			

MISSOURI DOT BID # 3-150723TV  
TE401 OPTIONS

13HP HONDA Self-Contained Power Unit	\$3000.00
Cat's Eye System (2 AXLE)	\$350.00
Wireless Remote (2 Function)(WINCH: IN/OUT)	\$561.00
(6 Function) (WINCH: IN/OUT, BED TILT, & AXLE SLIDE)	\$1585.00
Undercoating	\$1193.00
Continental General Tires (2 AXLE)	\$739.00
Dynatrac Tires (2 AXLE)	\$498.00

TE70DG & TE100DG OPTIONS

Strobe Light in rear of trailer	\$336.00
Additional Clearance Lights on Sides	\$95.00
3 <sup>rd</sup> Taillight	\$135.00
Cat's Eye System (3 AXLE)	\$512.00
Continental General Tires (3 AXLE)	\$1103.00
Dynatrac Tires (3 AXLE)	\$723.00

**OTHER TIRE BRANDS AVAILABLE AT REQUEST FOR PRICING**

Lift Axle	\$998.00
Air Scale (Electronic)	\$900.00
Air Scale (Mechanical)	\$348.00



# TRAIL-EZE®

1909 South Rowley - Mitchell, SD 57301

1-800-232-5682 - FAX 1-605-996-5572

[www.traileze.com](http://www.traileze.com)

JOB#

DATE: 7/1/2015

SALES PERSON: JASON HUMPAL

QUOTE: JLH 0096bA

PO#:

SO#:

[illegible]





# TRAIL-EZE®

1909 South Rowley - Mitchell, SD 57301

1-800-232-5682 - FAX 1-605-996-5572

[www.traileze.com](http://www.traileze.com)

DATE: 7/1/2015

SALES PERSON: JASON HUMPAL

QUOTE: JLH 0097

JOB#

PO#:

SO#:

<b>S O L D  T O</b>	<b>NAME:</b>	CSH TRAILERS		<b>S H I P  T O</b>	<b>NAME:</b>	MISSOURI DOT			
	<b>ADDR:</b>	26 COUNTY 511			<b>ADDR:</b>	PO BOX 270			
	<b>CITY:</b>	WESTPHALIA			<b>CITY:</b>	JEFFERSON CITY			
	<b>STATE:</b>	MO	<b>ZIP:</b>		65085	<b>STATE:</b>	MO	<b>ZIP:</b>	65102
	<b>ATTN:</b>	STAN			<b>ATTN:</b>	TOM VEASEMAN			
	<b>PHONE:</b>	573-455-2998			<b>PHONE:</b>	573-522-4404			
	<b>FAX:</b>				<b>FAX:</b>				
<b>CAPACITY:</b>		50 TON, 100,000# CONCENTRATED IN 16'							
<b>MODEL:</b>		TE100DG							
<b>OVERALL LENGTH:</b>		APPROX. 53' (12' GOOSENECK, MINIMUM 24' MAIN BED)							
<b>WIDTH:</b>		102"							
<b>5TH WHEEL HEIGHT:</b>		50"	<b>KING PIN SETTING:</b>		16"	<b>SWING CLEARANCE:</b>		96"	
<b>LANDING GEAR:</b>		NON-GROUND BEARING							
<b>WINCH:</b>		NA							
<b>WINCH LOCATION:</b>		NA							
<b>AIR SHIFT:</b>		<b>WINCH GAURD:</b>		<b>CABLE ROLLER:</b>					
<b>CABLE LENGTH:</b>		NA							
<b>REMOTE TYPE:</b>		NA							
<b>UPPER DECK RAMP:</b>		NA							
<b>DECK MATERIAL:</b>		2" OAK							
<b># OF AXLES:</b>		3							
<b>AXLE SIZE:</b>		25,000#							
<b>AXLE TRACK:</b>									
<b>ABS:</b>		4S/3M		<b>BRAKES:</b>		16 1/2" X 7"			
<b>SUSPENSION:</b>		AIR RIDE		<b>DUMP VALVE:</b>		YES			
<b>TIRE SIZE:</b>		255/70R 22.5		<b>TIRE BRAND:</b>		DOUBLE COIN			
<b>INNER WHEEL:</b>		22.5 X 8.25 STEEL							
<b>OUTER WHEEL:</b>		22.5 X 8.25 STEEL							
<b>LIGHTS:</b>		LED							
<b>ADD'L LIGHTS:</b>		MIDSHIP TURN SIGNAL/ ADDITIONAL CLEARANCE LIGHT							
<b>TIEDOWNS:</b>		14 D-RINGS (10 IN BED 4 IN WHEEL AREA)							
<b>PAINT:</b>		MIDNIGHT BLACK STANDARD ig-9230/100-797							
<b>ADD'L OPTION</b>		GROTE "ULTRA-BLUE SEAL" 7 YEAR WARRANTY							
<b>ADD'L OPTION</b>		TOOL BOX: 11"H X 29" w X 25" D CURBISDE IN GOOSENECK							
<b>ADD'L OPTION</b>		12" OUTRIGGERS ON 24" CENTERS (DOUBLE OUTRIGGERS AT FRONT)							
<b>ADD'L OPTION</b>		AIR LIFT 3RD AXLE							
<b>ADD'L OPTION</b>		HUBOMETER							
<b>ADD'L OPTION</b>		FLIP OVER STEEL RAMPS (32" L X 20" W WITH TRACTION BARS)							
<b>ADD'L OPTION</b>		CAT'S EYE SYSTEM-3RD AXLE							
<b>ADD'L OPTION</b>		GOOSENECK: SCRAPER STYLE WITH A 4" RELIEF NECK							
<b>ADD'L OPTION</b>		FLAG HOLDERS IN BOLSTERS							
<b>ADD'L OPTION</b>		METAL PLATE AT REAR OF BED							
<b>LIMITED WARRANTY:</b>		A COPY IS AVAILABLE UPON REQUEST FROM THE FACTORY.				<b>TOTAL RETAIL PRICE</b>			
<b>WILL SHIP:</b>		150 DAYS FROM SIGNED PURCHASE ORDER							
<b>SIGNATURE:</b>		<b>DATE:</b>		<b>TRAILER NET</b>		\$ 65,500			
				<b>FREIGHT</b>					
PROMISE DATE WILL CHANGE IF AN APPROVED PRINT, SIGNED ORDER, AND DOWN PAYMENT ARE NOT RECEIVED BY DESIGNATED DATE, ANY CUSTOMER INITIATED CHANGE ORDERS EXTEND PURCHASING OR PRODUCTION TIME, OR IF THERE IS A CHANGE IN CUSTOMER CREDIT STATUS. ALL ORDERS AND PAYMENT TERMS ARE SUBJECT TO CREDIT APPROVAL. FET IS CALCULATED ON THE SELLING PRICE TO A NON-EXEMPT END USER. ALL STANDARD UNITS REQUIRE A 10% NON-REFUNDABLE DOWN PAYMENT. ALL NON-STANDARD UNITS REQUIRE A 30% NON-REFUNDABLE DOWN PAYMENT.				<b>FEDERAL EXCISE TAX</b>		EXEMPT			
				<b>TOTAL COST OF TRAILER</b>		\$ 65,500			
				<b>LESS DOWN PAYMENT</b>					
				<b>LESS TRADE BALANCE</b>					

MISSOURI DOT BID # 3-150723TV

TE401 OPTIONS

13HP HONDA Self-Contained Power Unit	\$3000.00
Cat's Eye System (2 AXLE)	\$350.00
Wireless Remote (2 Function)(WINCH: IN/OUT)	\$561.00
(6 Function) (WINCH: IN/OUT, BED TILT, & AXLE SLIDE)	\$1585.00
Undercoating	\$1193.00
Continental General Tires (2 AXLE)	\$739.00
Dynatrac Tires (2 AXLE)	\$498.00

TE70DG & TE100DG OPTIONS

Strobe Light in rear of trailer	\$336.00
Additional Clearance Lights on Sides	\$95.00
3 <sup>rd</sup> Taillight	\$135.00
Cat's Eye System (3 AXLE)	\$512.00
Continental General Tires (3 AXLE)	\$1103.00
Dynatrac Tires (3 AXLE)	\$723.00

**OTHER TIRE BRANDS AVAILABLE AT REQUEST FOR PRICING**

Lift Axle	\$998.00
Air Scale (Electronic)	\$900.00
Air Scale (Mechanical)	\$348.00



# TRAIL-EZE®

1909 South Rowley - Mitchell, SD 57301

1-800-232-5682 - FAX 1-605-996-5572

[www.traileze.com](http://www.traileze.com)

JOB#

DATE: 7/1/2015

SALES PERSON: JASON HUMPAL

QUOTE: JLH 0095

PO#:

SO#:

[illegible]

**CSH TRAILERS**  
**1819 HWY 63**  
**26 CR 511**  
**WESTPHALIA, MO 65085**  
**573-455-2998**

DOOLITTLE, DELTA, KIEFER, KODIAK  
TOWMASTER, TaraSPORT, TRAIL-EZE  
BRADFORD BUILT, PARKHURST

STOCK, CARGO, TILTS  
FLATBEDS, UTILITIES, HEAVY DUTY  
TRUCK BEDS

QUOTE # 3-150723TV

QUOTE DATE: 07-23-15

CUSTOMER: MODOT.

ORDER DATE: \_\_\_\_\_

ADDRESS: P.O. BOX 270

DELIVERY DATE: \_\_\_\_\_

COST: \$ 19,950

JEFFERSON CITY, MO 65102

TRADE: \$ \_\_\_\_\_

BALANCE: \$ \_\_\_\_\_

PHONE: 573-522-4404

-----  
DOOLITTLE BFF30K

BUMPER PULL

30K Upgrade to 30,000 lb

17.5" Steel Wheels w/ Rated Tires

3" Channel Cross members on 12" Centers

30k Rated Coupler

22 lb Beam (THIS IS NOT HIGH TENSILE)

2 5' Dovetail w/ 2 Heavy Duty Flip-Over Ramps

Air Brakes (24k Models Only) Includes ABS on 1 Axle &

Parking Brake

ROUGH Oak Floor

9 17.5 TIRES AND WHEEL

SERIAL NO: 1DGDV

SIGNATURES:

CUSTOMER:

DEALER: STAN HECKMAN



# CSH TRAILERS

1819 HWY 63

26 CR 511

WESTPHALIA, MO 65085

573-455-2998

DOOLITTLE, DELTA, KIEFER, KODIAK  
TOWMASTER, TaraSPORT, TRAIL-EZE  
BRADFORD BUILT, PARKHURST

STOCK, CARGO, TILTS  
FLATBEDS, UTILITIES, HEAVY DUTY  
TRUCK BEDS

QUOTE # 3-150723TV

QUOTE DATE: 07-23-15

CUSTOMER: MODOT

ORDER DATE: \_\_\_\_\_

ADDRESS: P.O. BOX 270

DELIVERY DATE: \_\_\_\_\_

COST: \$ 15,800

JEFFERSON CITY, MO 65102

TRADE: \$ \_\_\_\_\_

BALANCE: \$ \_\_\_\_\_

PHONE: 573-522-4404

-----  
DOOLITTLE BFF24K

102 X 20'

BUMPER PULL

24K Upgrade to 24,000 lb

2 5' Dovetail w/ 2 Heavy Duty Flip-Over Ramps

Air Brakes (24k Models Only) Includes ABS on 1 Axle &

Parking Brake

ROUGH Oak Floor

9 17.5 TIRES AND WHEEL

3" Channel Cross members on 12" Centers

30k Rated Coupler

22 lb Beam (THIS IS NOT HIGH TENSILE)

SERIAL NO: 1DGDV

SIGNATURES:

CUSTOMER:

DEALER: STAN HECKMAN







# TRAIL-EZE<sup>®</sup>

1909 S Rowley Street • Mitchell, SD 57301 • 800.232.5682 • Fax 605.996.5572

www.trailleze.com • email: sales@traileze.com

TRAIL-EZE TRAILERS are intended for INDUSTRIAL AND COMMERCIAL use. This product is not warranted for applications covered by the MAGNUSON-MOSS WARRANTY ACT for personal, family or household purposes.

### **TRAIL-EZE Trailer Limited WARRANTY**

DAKOTA MANUFACTURING CO., INC., as a manufacturer, warrants each new trailer to be free from defects in material and workmanship under normal use and service, with loads not exceeding manufacturer's rated capacity and speed, for a period of (6) six months. The LIMITED WARRANTY applies to defective parts and does not include labor to remove and install parts. This LIMITED WARRANTY applies only to the original user.

The buyer expressly understands & agrees that, in the event of a defect in manufacture of material, the remedies are limited to repair or replacement, at the manufacturer's option, such part(s) which examination shall disclose to manufacturers satisfaction to have been thus defective. Such part(s) shall be returned, expenses prepaid by the purchaser or authorized dealer, to the manufacturer within 15 days from date of alleged failure, or discovery of alleged defect. All parts returned shall be accompanied by Model & Serial Number of the trailer and detailed description of the alleged defect or conditions of which alleged failure occurred.

**ADDITIONAL (5) FIVE YEARS LIMITED WARRANTY ON MAJOR STRUCURAL FAILURE** – Dakota Manufacturing further warrants the main frame of Trail-EZE Trailers to be free from defects in material and workmanship under normal use and service with loads not exceeding manufacturer's rated capacity for a period of (5) five years. This extended warranty does not include trailers subject to unusual conditions, i.e. constant tracked vehicle loads, frequent off road use, and circumstances determined by the manufacturer to be excessive. All repairs will be made at the plant or origin, freight to be paid by customer. After 2 years of use, the cost of repair will be pro-rated on a 10 year life. (Example-Repaired at factory after 3 years, cost is borne 30% by customer and 70% by Dakota Manufacturing Co., Inc.)

The provisions of this LIMITED WARRANTY shall not apply to any trailer which has been subjected to misuse, negligence or accident, or which shall have been repaired or altered in any way so as, in the judgment of manufacturer, to affect adversely its strength or stability.

**THIS LIMITED WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES, INCLUDING EXPRESSED OR IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, AND OF ALL OTHER OBLIGATION OR LIABILITY ON THE PART OF THE MANUFACTUERER AND IT NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME FOR IT ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OF SUCH TRAILER.**

This LIMITED WARRANTY does not include tires and tubes, as they are warranted separately by their manufacturers.

SERIAL # \_\_\_\_\_ MODEL: \_\_\_\_\_ DATE SOLD: \_\_\_\_\_

CAPACITY: \_\_\_\_\_ lbs. equally distributed

**DAKOTA MANUFACTURING CO., INC., reserves the right to change specifications, substitute equal or better quality without notice or obligation to prior models.**

This portion to be filled out and returned to **Dakota Manufacturing Co., Inc./Trail-EZE Trailers** within 10 days after purchase or above warranty void. *Cut along perforations.*

#### **PLEASE PRINT**

Delivery Date: \_\_\_\_\_ Serial #: \_\_\_\_\_ Model: \_\_\_\_\_

Purchaser's Name: \_\_\_\_\_

Street Address: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_

Phone #: \_\_\_\_\_ Contact: \_\_\_\_\_

Trailer Sold By: \_\_\_\_\_



# TRAIL-EZE<sup>®</sup> TRAILERS



## GENERAL SPECIFICATIONS:

### TE100DG –

100,000 Lb. Capacity concentrated in 16'

Overall Length: (50" axle spacing)	48'
(60" axle spacing)	50'
Main Deck Length:	24'
Gooseneck:	11'
Width:	8'-6"
King Pin Settings:	16"
Swing Clearance 16" Setting:	84"
5 <sup>th</sup> Wheel Height (unloaded):	50"
Deck Height:	26"
Ground Clearance:	10"

**FRAME:** All high tensile steel. Custom manufactured beams designed for stress loads at a minimum of a 2:1 safety factor. 4 Full size main beams with SMI 130 and MF80 hi-tensile steel flanges. 12" Crossmembers on 24" centers.

**PLATFORM:** 2" Oak decking. Excavator cut out, open floor. Wheel bolsters (NO wheel covers). Front loading ramps.



**GOOSENECK:** Air activated lock. PTO operated hydraulics. Hydraulic neck support arm. NOTE: All hydraulics are set to operate at 3,000 PSI.

**AXLES:** 25,000 Lb. with oil seal hubs

**BRAKES:** 16 1/2" x 7" Air activated S-Cam, automatic slack adjusters with ABS.

**WHEELS:** 8.25 x 22.5 Disc - pilot mounted

**TIRES:** 255/70R x 22.5 Radials

**SUSPENSION:** Air ride with air dump valve

**D-RINGS:** 16

**OUTRIGGERS:** on 2' centers.

**ELECTRICAL:** Sealed beam light system with mid-ship turn signal.

**PAINT:** The trailer will be sandblasted, primed and painted with polyurethane paint.

## AVAILABLE OPTIONS:

Air Lift Axle / 12'-8" Neck

Beavertail / 2" Apitong Decking

Enclosed Excavator Cut Out

Self-Contained Hydraulic System

1/4" MF80 Steel Wheel Covers w/Traction Aids



Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

**Over 45 Years Building Trailers To Work Like You Do!!**

**WARRANTY – 5 Year Pro-Rated  
Major Structural Warranty**

1909 South Rowley ♦ Mitchell, SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572  
1-800-232-5682 ♦ web site: [www.trailleze.com](http://www.trailleze.com) ♦ email: [sales@traileze.com](mailto:sales@traileze.com)





*Photos shown with many options*

# TE401 TE401A

**SLIDING  
AXLE  
TRAILER**

## GENERAL SPECIFICATIONS:

**TE401** – 40,000 Lb. Payload Capacity

**TE401A** – 40,000 Lb. Payload Capacity

DIMENSIONS:	TE401	TE401A
Overall Length -	35'-4"	39'-7"
Tilt Bed Length -	30'-4"	30'-4"
Width -	8'-6"	8'-6"
Upper Deck -		9'-2"
Height -	37"	37"
Load Angle Degrees -	9	9

**FRAME:** Hi-tensile steel I-beam main frame and crossmembers.

**PLATFORM:** 1 1/2" Oak decking.

**CYLINDERS:** (2) Tilting cylinders – (1) sliding cylinder.

**BRAKES:** 12 1/4" x 7 1/2" with S-Cam air auto slack adjusters, ABS, spring brakes and outboard drums.

**AXLES:** (2) 20,000 lb. Capacity

**TIRES:** (8) 215/75R x 17.5 Radials

**WHEELS:** (8) 6.75 x 17.5 Disc pilot mounted



**SUSPENSION:** H-9700 Spring

**NARROW NECK w/KING PIN:** 9'-2" (TE401A)

**PINTLE HITCH:** 3" ID adjustable (TE401)

**D-RINGS:** 5 per side

**SAFETY CHAINS:** 1/2" with hooks (TE401)

**TONGUE JACK:** 18,000 lb. Crank type (TE401)


**PARK STANDS:** Pin drop (TE401A)

**ELECTRICAL:** ICC D.O.T. Standard light and reflector kit

**PAINT:** Trailer sandblasted, primed and painted

**OPTIONS:** Many Available!!

**WARRANTY: 5 Year  
Pro-Rated Major  
Structural Warranty**



**Over 45 Years Building Trailers To Work Like You Do!!**

Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

# /// TRAIL-EZE TRAILERS


1909 South Rowley ♦ Mitchell, SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572 ♦ 1-800-232-5682  
web site: [www.traileze.com](http://www.traileze.com) ♦ email: [sales@traileze.com](mailto:sales@traileze.com)








# TRAILEZE®

## TE100DGP



*Shown with optional Paver Ramps*




1909 S Rowley St ♦ Mitchell SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572  
1-800-232-5682 ♦ web site: [www.traileze.com](http://www.traileze.com) ♦ email: [sales@traileze.com](mailto:sales@traileze.com)





# Tapered Beam Paver Trailer



## GENERAL SPECIFICATIONS:

### TE100DGP -

100,000 Lb. Capacity concentrated in 16'

Overall Length:	48' - 53'
Main Deck Length:	24' - 28'
Gooseneck:	11' - 13'
Width:	8'-6"
King Pin Settings:	16" - 42"
Swing Clearance:	84" - 104"
5 <sup>th</sup> Wheel Height (unloaded):	50"

**FRAME:** All high tensile steel. Custom manufactured beams designed for stress loads at a minimum of a 2:1 safety factor. 4 Full size main beams with Grade 100 and MF80 hi-tensile steel flanges. 12" Crossmembers on 24" centers.

**PLATFORM:** 2" Oak decking. Excavator cut out, open floor. Wheel bolsters (NO wheel covers). Front loading ramps.

**GOOSENECK:** Air activated lock. PTO operated hydraulics. Hydraulic neck support arm. NOTE: All hydraulics are set to operate at 3,000 PSI.

**AXLES:** 25,000 Lb. with oil seal hubs

**BRAKES:** 16 1/2" x 7" Air activated S-Cam, automatic slack adjusters with ABS.

**WHEELS:** 8.25 x 22.5 Disc - pilot mounted

**TIRES:** 255/70R x 22.5 Radials

**SUSPENSION:** Air ride with air dump valve  
**D-RINGS:** 16

**OUTRIGGERS:** on 2' centers.

**ELECTRICAL:** Grote Ultra-Blue sealed beam light system

**PAINT:** The trailer will be sandblasted, primed and painted with polyurethane paint.

## AVAILABLE OPTIONS:

- Air Lift Axle / 12'-8" Neck
- Beavertail / 2" Apitong Decking
- Enclosed Excavator Cut Out
- 1/4" MF80 Steel Wheel Covers w/Traction Aids
- Hydraulic Rear Ramps



Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

WARRANTY - 5 Year Limited Pro-Rated Major Structural Warranty


**Over 50 Years Building Trailers To Work Like You Do!!**



## RAMP TRAILER



# TE40R



### GENERAL SPECIFICATIONS:

**TE40R** – 40,000 Lb. Payload Capacity

Overall Length –	30'
Main Bed Length –	19'
Deck Height –	36"
Width –	8'-6"
Beavertail –	5'
Tongue Length –	6'

**RAMPS:** (2) 18" x 60" Adjustable fold over level ride, spring assisted.

**FRAME:** Hi-tensile steel I-beam main frame and crossmembers with extruded channel perimeter frame.

**PLATFORM:** 1 1/2" Hardwood oak attached to every other crossmember with Torx head screws.

**TONGUE JACK:** 2-Speed jack

**AXLES:** (2) 20,000 Lb.

**BRAKES:** 12 1/4" x 7 1/2" Air with ABS (2S/1M)

**WHEELS:** (8) 6.75 x 17.5 Disc

**TIRES:** 235/75R x 17.5 5675# / tire

**SUSPENSION:** 50,000#


**D-RINGS:** 10 Total / 5 Per side

**PINTLE HITCH:** 3" Inside diameter, adjustable

**SAFETY CHAINS:** 1/2" with hooks

**ELECTRICAL:** ICC DOT Standard light and reflector kit with LED Lights.

**PAINT:** Trailer primed, sandblasted and painted Black polyurethane paint.



**WARRANTY:** 5 Year Limited Pro-Rated Major Structural Warranty

**Over 50 Years Building Trailers To Work Like You Do!!**

Due to the constant improvements in our products, the designs and materials specifications are subject to change without notice.

# TRAIL-EZE®



1909 S Rowley St ♦ Mitchell, SD 57301 ♦ (605) 996-5571 ♦ FAX (605) 996-5572 ♦ 1-800-232-5682  
web site: [www.trailleze.com](http://www.trailleze.com) ♦ email: [sales@traileze.com](mailto:sales@traileze.com)